E.O.

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-3-1
Relating to Approval of New Motor Vehicles

AUDI NSU AUTO UNION A. G.

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code and Executive Order G-45-1;

IT IS ORDERED AND RESOLVED: That Audi NSU Auto Union A. G. exhaust emission control systems for 1975 model-year light duty passenger cars are approved for the engine family described below:

Engine Family: Audi 80C
Engine: 97CID
Exhaust Emission Control System: Exhaust gas recirculation, oxidation catalyst, fuel injection and engine modification

Models:
Audi: (M/T-4, A/T-3)

Audi Fox Station Wagon

These vehicles are in addition to those previously approved for this engine family.

Vehicles approved under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 31 day of December, 1974.

G. C. Hass

G. C. Hass, Chief
Division of Vehicle Emissions Control

AIR RES[illegible]ES BOARD
SUPPLEMENTAL INFORMATION
1975 MODEL YEAR

Corrected 8 December 1976

[X] PASSENGER CARS [ ] LIGHT-DUTY TRUCKS Running Change #34/1975, 8 Dec. 1976

ION AG

EXECUTIVE ORDER NO. A-30-3-1 PAGE NO. 1-1

rans & xle atic	Inertia Weight	Distributor Type	Distributor Mfgr. Part No.	Fuel System Type	Fuel System Mfgr. Part No.	Emission Control System Type	[x] OC [ ] TR Part No. Service*	EGR Part No. Service*	Tune-up Specifications Idle RPM	Basic Timing	Idle Mixture
/T4 .11	2500	C,V, VR	Bosch 02311760 57	FI	Bosch: Mixture Control Unit- 049133353 Air Flow Sensor- 043812- 0008 Fuel Distribu- tor 0438100- 007	EGR EM FI OC CAN	A.1.1 ~~XX-XXXXX XXXXX~~ (Catalyst change requirement is DELETED)	PE20155 PE20182 I 15,000 mile. R-filter @15,000 miles.	925 RPM +75 in neutral	3° ATDC +1° vacuum disconnected	1.0% CO +.5% @ 925 RPM +75 Upstream of Catalyst
T3 91											

haust Emission Control System
- Air Injection
I- Electronic Fuel Injection
R- Exhaust Gas Recirculation
- Engine Modifications

FI - Fuel Injection
OC - Oxidation Catalyst
RC - Reduction Catalyst
TR - Thermal Reactor

Evaporative Control System
CAN- Charcoal Canister Storage
TS - Tank Storage

*Service
I - Inspect, repair/replace as needed
R - Replace

AIR RESOURCES BOARD
SUPPLEMENTAL INFORMATION
1975 MODEL YEAR

[X] PASSENGER CARS [ ] LIGHT-DUTY TRUCKS (25) Revised 12-12-74

MANUFACTURER: Audi NSU Auto Union AG

EXECUTIVE ORDER NO. A- 30-3 -1 PAGE NO. 1 of 2

Engine Family	Vehicle Models (If coded see attachment)	Engine CID	Trans & Axle Ratio	Inertia Weight	Distributor Type	Distributor Mfgr. Part No.	Fuel System Type	Fuel System Mfgr. Part No.	Emission Control System Type	Emission Control System [x] OC [ ] TR Part No. Service*	Emission Control System EGR Part No. Service*	Tune-up Specifications Idle RPM	Tune-up Specifications Basic Timing	Tune-up Specifications Idle Mixture
Audi 80 C	Audi Fox, Audi Fox Station Wagon	97	M4 4.11 A3 3.91	2500	C, V, VR	BOSCH 0231048372	FI	BOSCH 0438040006 Control Unit	EM FI EGR OC	A.1.1 R-30000	PE 20155 I, R-15000	925 ± 75	3° ± 1° ATDC	1.0 ± 0.5% CO Upstream of Catalyst

Abbreviations:

Distributor
C - Centrifugal Advance
V - Vacuum Advance
VR - Vacuum Retard

Exhaust Emission Control System
AI - Air Injection
EFI- Electronic Fuel Injection
EGR- Exhaust Gas Recirculation
EM - Engine Modifications
FI - Fuel Injection
OC - Oxidation Catalyst
RC - Reduction Catalyst
TR - Thermal Reactor

Evaporative Control System
CAN- Charcoal Canister Storage
TS - Tank Storage

*Service
I - Inspect, repair/replace as need
R - Replace