State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-216
Relating to Certification of New Motor Vehicles

GRIFFITH COMPANY

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Griffith Company exhaust emission control systems are certified as described below for 1980 model-year gasoline-powered passenger cars.

| Engine Family | Displacement Cubic Inches | Exhaust Emission Control Systems (Special Features) |
|---|---|---|
| 20R(C) | 134 | Air Injection<br>Exhaust Gas Recirculation<br>Oxidation Catalyst |

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1980 model-year vehicles:

| Engine Family | Hydrocarbons Grams per Mile | Carbon Monoxide Grams per Mile | Nitrogen Oxides Grams per Mile |
|---|---|---|---|
| 20R(C) | 0.18 | 6.8 | 1.0 |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1980 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Griffith Company has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 16th day of November, 1979.

K. D. Drachand, Acting Chief
Mobile Source Control Division

# 1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Griffith Company Executive Order No. A-216 Page 1

Engine Family 20R(C) Engine (CID) 134

ABBREVIATIONS

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst
PAI-Pulse Air Injection
TR-Thermal Reactor
TWC-Three Way Catalyst

Special Features
CCAV-Combustion Chamber Air Valve
EFI-Electronic Fuel Injection
MFI-Mechanical Fuel Injection
TC-Turbo Charged

| Engine Code | Model |
|---|---|
| 1, 2, 3, 4 | Sunchaser TX22 (1) |

Date of Issue - 101679

Revised - (1) 071780, Added Model

051479

E.O. #A -216

# 1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

☒ Passenger Cars ☐ Light-Duty Trucks ☐ Medium-Duty Vehicles ☐ Gas ☐ Diesel

Manufacturer Griffith Company Page 2

Engine Family 20R(C) CID-Type 134, 1-4 Engine Code 1-4

ECS (Special Features) AI, EGR, OC + 10% (A/C) Yes x No

| Engine Code | Vehicle Models (If Coded see attachment) | Trans. | Test Weight Class (Inertia) | Ign. System CA, VA, EI Part No. | Fuel System 2V Part No. | EGR Valve Part No. | Label Ident. |
|---|---|---|---|---|---|---|---|
| 1, 2 | Sunchaser TX22(1) | 5M | | Nippondenso 19100-38220 | Aisan Kogyo 21100-38331 | 25620-38191 | |
| 3, 4 | | 3A | 3000 (3000) | | | 25620-38191 | |

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

Date of Issue - 10/16/78

Revised - (1) 071780, Added Model

042679