E.O. Brob.

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-42
Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Daimler-Benz Aktiengesellschaft exhaust emission control systems are certified as described below for 1981 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
BMB2.8V6FB8	168 (2.8)	Air Injection-Pump Three Way Catalyst with Closed Loop (Mechanical Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

Engine Family	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
BMB2.8V6FB8	0.31	3.2	0.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Daimler-Benz Aktiengesellschaft has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 31 87 day of October, 1980.

K. D. Drachand, Chief
Mobile Source Control Division

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Daimler-Benz AG Executive Order No. A-3-42 Page 1

Engine Family BMB 2.8V 6FB8 Evaporative Family BMB V6.100

ABBREVIATIONS Engine CID (Liters) 168 (2.8)

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DI-Diesel Injection
EFI-Electronic Fuel Injection
MFI-Mechanical Fuel Injection
TC-Turbocharged

Fuel System
CFI, DI, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

VEHICLE MODELS

280E
280CE

E.O. #A - 3 - 42

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars __ Light-Duty Trucks __ Medium-Duty Vehicles X Gas __ Diesel

Manufacturer Mercedes-Benz AG Page 2

Engine Family BMB 2.8V 6FB8 Engine Code M 110

ECS (Special Features) AIP, TWC, CL (MFI) CID (Liter)-Type 168 (2.8) L-6

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Bosch CA, VA, VR Part No.	Fuel System Bosch Part No.	EGR Valve Part No.	Label Ident. Part No
M 110	280E*	4-A	3,500	0237304018	0438060039	n/a	1235849921
	280CE*		3,500	Mercedes-Benz 0031580101	Mercedes-Benz 0000702206		1235840926

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

071080

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Daimler-Benz AG | Executive Order No. A-3-42 | Page 1

Engine Family BMB 2.8V 6FB8 | Evaporative Family BMB V6.100

ABBREVIATIONS | Engine CID (Liters) 168 (2.8)

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DI-Diesel Injection
EFI-Electronic Fuel Injection
MFI-Mechanical Fuel Injection
TC-Turbocharged

Fuel System
CFI, DI, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

VEHICLE MODELS

280E
280CE

E.O. #A - 3 - 42

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars __ Light-Duty Trucks __ Medium-Duty Vehicles X Gas __ Diesel

Manufacturer Mercedes-Benz AG Page 2

Engine Family BMB 2.8V 6FB8 Engine Code M 110

ECS (Special Features) AIP, TWC, CL (MFI) CID (Liter)-Type 168 (2.8) L-6

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Bosch CA, VA, VR Part No.	Fuel System Bosch Part No.	EGR Valve Part No.	Label Ident. Part No
M 110	280E*	4-A	3,500	0237304018	0438060039	n/a	1235849921
	280CE*		3,500	Mercedes-Benz 0031580101	Mercedes-Benz 0000702206		1235840926

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

071080