State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-86
Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year American Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)
GAM360T2HLE1	360	(5.9)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
4000-5999	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
4000-5999	0.32	6.9	0.9

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27th day of March, 1985.

K. D. Drachand, Chief
Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer American Motors Corporation

Executive Order No. A-17-86

Engine Family GAM 360 T2 HL E1

Evaporative Family GT-360A-1P

Engine CID (Liters) 360 (5.9)

ABBREVIATIONS:

Ignition System

- CA - Centrifugal Advance
- EEC - Electronic Engine Control
- EI - Electronic Ignition
- ESAC - Electronic Spark Advance Control
- VA - Vacuum Advance
- VR - Vacuum Retard

Exhaust Emissions Control System

- AIP - Air Injection-Pump
- AIV - Air Injection-Valve
- CL - Closed Loop
- EGR - Exhaust Gas Recirculation
- EM - Engine Modification
- OC - Oxidation Catalyst System
- TOC - Trap Oxidizer Continual
- TOP - Trap Oxidizer Periodical
- TR - Thermal Reactor
- TWC - Three-Way Catalyst System

Fuel System

- CFI, CL, DID, DIP, EFI, MFI
- nV - nVenturi Carburetor
- VV - Variable Venturi

Special Features

- CCV - Combustion Chamber Valve
- CFI - Central Fuel Injection
- DID - Diesel Injection-Direct
- DIP - Diesel Injection-Prechamber
- EFI - Electronic Fuel Injection
- IC - Intercooler
- MFI - Mechanical Fuel Injection
- TC - Turbocharged

VEHICLE MODELS:

15 = Grand Wagoneer 4WD
26 = J10 Pickup 4WD

DRIVE SYSTEM: Front ENGINE/ Front & Rear -WHEEL DRIVE

E.O. #A - 17-86

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars___ Light-Duty Trucks X Medium-Duty Vehicles___ Gas X Diesel___

Manufacturer American Motors Corporation Page 2

Engine Family GAM 360 T2 HL E1 Engine Code

ECS (Special Features) EGR + AIP + TWC (None) CID (Liter) Type 360 (5.9) V8

Engine Code	Vehicle Models (If Coded See Attachment)(Hp)	Trans	Equiv. Test Weight	Ignition System CA, VA Part No.	Fuel System 2V Part No.	EGR Valve Part No.	Label Ident. Part No.
1A2	15	A3	4750	3233174	5RHA2 8953002537	17075667 3240102	8953002632 8953002633
	26		4500				

Comments:

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

Note: Add 10% to dyno test HP for air conditioning usage.

Date of Issue:

E.D.# A-17-86 PAGE 3

ENGINE FAMILY: GAM 360T2 HLE1

1986 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

MARCH 20, 1985

VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	VEHWT360 ENG	VEHWT360 TRAN	FRONTAL AREA HORSEPOWER BIAS TIRE A/C	FRONTAL AREA HORSEPOWER BIAS TIRE NON A/C	FRONTAL AREA HORSEPOWER RADIAL TIRE A/C	FRONTAL AREA HORSEPOWER RADIAL TIRE NON A/C	TIRES SHOWN Standard tire listed 1st Optional tires also listed SIZE/MODEL	PRESSURE FR	PRESSURE RR	ROADLOAD HP. & COASTDOWN TIMES (sec)	AC Hp	(sec)	Hp no AC
GRAND WAGONEER MODEL 15	4566	2071	4750	360	A3 ML					1 P225/75R15 ARRIVA	28	28	13.72	14.0	15.06	13.5
										2 P235/75R15 VECTOR			12.90	15.4	13.40	14.0
										3						
J-10 TRUCK MODEL 26	4220	1687	4500	360	A3 PT					1 P225/75R15 ARRIVA	28	28	11.70	16.0	12.59	15.4
										2 P235/75R15 WRANGLER			12.14	17.6	12.87	16.2
										3 P235/75R15 VECTOR			11.06	18.3	11.70	16.9