State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-143
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Chrysler Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)
GCR2.5V5FAM9	135/152	(2.2/2.5)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Central Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0.17	2.7	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 1st day of May

K. D. Drachand, Chief
Mobile Source Division

Manufacturer Chrysler Corporation Executive Order No. A-9-143

Engine Family GCR2.5V5FAM9 Evaporative Family GCRVB

Engine CID (Liters) 152/135 (2.5/2.2)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TOC-Trap Oxidizer Continuous
TOI-Trap Oxidizer Intermittent
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
EFI-Electronic Fuel Injection
IC - Intercooler
MFI-Mechanical Fuel Injection
TC-Turbocharged

VEHICLE MODELS:	CARLINE
ETP41	Chrysler New Yorker
KCP22;KCP41	Chrysler LeBaron
*KCP45	Chrysler Town & Country
KCP27	Chrysler LeBaron Convertible
GCH24;GCP24	Chrysler Laser
HCH44;HCP44	Chrysler LeBaron GTS
KDH21;KDH41;KDL21; *KDL41;KDM21;KDM41	Dodge Aries
KDH45;KDM45	Dodge Aries Wagon
EEH41;EEM41;KVP22	Dodge 600
KVP27	Dodge 600 Convertible
GVH24	Dodge Daytona
HDH44;HDS44	Dodge Lancer
KPH21;KPH41;KPL21; [illegible]41;KPM21;KPM41	Plymouth Reliant
KPH45;KPM45	Plymouth Reliant Wagon
EJH41;EJM41	Plymouth Caravelle

*Revised - 05/17/85: Correction of errata.

DRIVE SYSTEM: Front Engine/ Front (E-W) -Wheel Drive

E[illegible] No. A-9-143
page 1A

[illegible] CORPORATION VEHICLE DESCR[illegible] CALIFORNIA

ENGINE FAMILY [illegible] DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE LAM

ENGINE CODE	TRANS TYPE CODE	DATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL
A-4	A3	3.02	P175/80R13	TEG	SBR	43.8	7.3	8.0	1708	2619	2875	2750	KPM41
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1707	2617	2875	2750	KDM41
		3.02	P175/80R13	TEG	SBR	43.8	7.3	8.0					
A-4	A3	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1710	2626	2875	2750	KPH41
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1709	2624	2875	2750	KDH41
		3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0					
A-4	A3	3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5	1741	2699	3000	3000	KCP41
	L	3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5					
		3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5					
A-4	A3	3.02	P185/70R14	TJA	SBR	43.4	7.0	7.7	1733	2767	3125	3000	HDH44
	L	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2	1741	2776	3125	3000	HCH44
		3.02	P185/70R14	TJA	SBR	43.4	7.0	7.7					
									1743	2798	3125	3000	HCP44
A-4	A3	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2	1762	2810	3125	3000	HDS44
	L	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2					
		3.02	P205/60HR15	TPR	SBR	42.6	6.7	7.4					
A-4	A3	3.02	P175/80R13	TEG	SBR	43.8	7.2	7.9	1663	2725	3000	3000	KPM45
	L	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1662	2723	3000	3000	KDM45
		3.02	P175/80R13	TEG	SBR	43.8	7.2	7.9					
A-4	A3	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1712	2741	3000	3000	KPH45
	L	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1711	2739	3000	3000	KDH45
		3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9					
A-4	A3	3.02	P185/70R14	TJA	SBR	43.4	7.7	8.5	1734	2851	3125	3000	KCP45
	L	3.02	P185/70R14	TJA	SBR	43.4	7.7	8.5					
		3.02	P185/70R14	TJA	SBR	43.4	7.7	8.5					

ISSUE DATE: 4/ 2/85

REV

ENGINE FAMILY ACP2.5VFAXJ DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRANS TYPE CODE	GATE RATIO MIN MAX	TIRES SIZE MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL
A-4	A3	3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3	1717	2679	3000	3000	EJM41
	L	3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3	1723	2677	3000	3000	EEM41
		3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3					
									1722	2690	3000	3000	EJH41
									1730	2690	3000	3000	EEH41
A-4	A7	3.02	P185/75R14	TJU	SBR	42.0	7.1	8.9	1800	2896	3250	3000	ETP41
	L	3.02	P185/75R14	TJU	SBR	42.0	7.1	8.9					
		3.02	P185/75R14	TJU	SBR	42.0	7.1	8.9					
A-4	A3	3.02	P185/70R14	TJA	SBR	43.4	5.7	6.3	1709	2681	3000	3000	GVH24
	L	3.02	P185/70R14	TKJ	SBR	42.4	5.4	6.0	1714	2717	3000	3000	GCH24
		3.02	P185/70R14	TJA	SBR	43.4	5.7	6.3					
A-4	A3	3.02	P205/60HR15	TPR	SBR	42.6	5.8	6.4	1749	2788	3125	3000	GCP24
	L	3.02	P205/60HR15	TPR	SBR	42.6	5.8	6.4					
		3.02	P205/60HR15	TPR	SBR	42.6	5.8	6.4					
A-4	A3	3.02	P175/80R13	TEG	SBR	43.8	7.3	8.0	1695	2603	2875	2750	KPM21
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1694	2601	2875	2750	KDM21
		3.02	P175/80R13	TEG	SBR	43.8	7.3	8.0					
A-4	A3	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1700	2610	2875	2750	KPH21
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1699	2608	2875	2750	KDH21
		3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0					
A-4	A3	3.0	P185/70R14	TJA	SBR	43.4	7.0	8.8	1752	2668	3000	3000	KVP22
	L	3.02	P185/70R14	TJA	SBR	43.4	7.0	8.8	1750	2676	3000	3000	KCP22
		3.02	P185/70R14	TJA	SBR	43.4	7.0	8.8					
A-4	A3	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1772	2746	3000	3000	KVP27
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0					
		3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0					
A-4	A3	3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0	1780	2770	3125	3000	KCP27
	L	3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0					
		3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0					

ISSUE DATE: 3/27/85

REV

[illegible] CORPORATION VEHICLE DESCRIP[illegible] CALIFORNIA

[illegible] FAMILY [illegible] DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRANS TYPE CODE	TIRE SIZE MIN MAX	TIRE SIZE MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	GC
A-2	A3	3.02	P175/80R13	TKG	SBR	43.8	7.3	8.0	1708	2619	2875	2750	KPM41	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1707	2617	2875	2750	KDM41	$
		3.02	P175/80R13	TKG	SBR	43.8	7.3	8.0						
A-2	A3	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1710	2626	2875	2750	KPH41	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1709	2624	2875	2750	KDH41	$
		3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0						
A-2	A3	3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5	1741	2699	3000	3000	KCP41	$
	L	3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5						
		3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5						
A-2	A3	3.02	P185/70R14	TJA	SBR	43.4	7.0	7.7	$1733	$2767	$3125	3000	HDH44	$
	L	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2	1741	2776	3125	3000	HCH44	$
		3.02	P185/70R14	TJA	SBR	43.4	7.0	7.7						
									1743	2798	3125	3000	HCP44	$
A-2	A3	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2	1762	2810	3125	3000	HDS44	$
	L	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2						
		3.02	P205/60HR15	TKR	SBR	42.6	6.7	7.4						
A-2	A3	3.02	P175/80R13	TKG	SBR	43.8	7.2	7.9	1663	2725	3000	3000	KPM45	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1662	2723	3000	3000	KDM45	$
		3.02	P175/80R13	TKG	SBR	43.4	7.2	7.9						
A-2	A3	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1712	2741	3000	3000	KPH45	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1711	2739	3000	3000	KDH45	$
		3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9						
A-2	A3	3.02	P185/70R14	TJA	SBR	43.4	7.7	8.5	1734	2851	3125	3000	KCP45	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.7	8.5						
		3.02	P185/70R14	TJA	SBR	43.4	7.7	8.5						

ISSUE DATE: 8/31/84

EV 10/ 1/84 3/ 7/85
10/ 4/84 3/ 8/85
10/19/84 $ 3/27/85
11/ 1/84
2/ 6/85

EO No. A-9-143
page 1F

CHRYSLER CORPORATION VEHICLE DESCRIPTIONS CALIFORNIA

ENGINE FAMILY [illegible] DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRANS TYPE CODE	DATE STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	G
A-2	A3	3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3	1717	2679	3000	3000	EJM41	$
	L	3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3	1723	2677	3000	3000	EEM41	$
		3.02	P185/70R14	TJT	SBR	46.3	7.5	8.3						
A-2	A3	3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3	1722	2690	3000	3000	EJH41	$
	L	3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3	1730	2690	3000	3000	EEH41	$
		3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3						
A-2	A	3.02	P185/75R14	TJU	SBR	42.0	8.1	8.9	1800	2896	3250	3000	ETP41	$
	L	3.02	P185/75R14	TJU	SBR	42.0	8.1	8.9						
		3.02	P185/75R14	TJU	SBR	42.0	8.1	8.9						
A-2	A3	3.02	P185/70R14	TJA	SBR	43.4	5.7	6.3	1709	2681	3000	3000	GVH24	$
	L	3.02	P185/70R14	TKJ	SBR	42.4	5.4	6.0	1714	2717	3000	3000	GCH24	$
		3.02	P185/70R14	TJA	SBR	43.4	5.7	6.3						
A-2	A3	3.02	P205/60HR15	TPR	SBR	42.6	5.8	6.4	1749	2788	3125	3000	GCP24	$
	L	3.02	P205/60HR15	TPR	SBR	42.6	5.8	6.4						
		3.02	P205/60HR15	TPR	SBR	42.6	5.8	6.4						
A-2	A3	3.02	P175/80R13	TFG	SBR	43.8	7.3	8.0	1695	2603	2875	2750	KPM21	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1694	2601	2875	2750	KDM21	$
		3.02	P175/80R13	TFG	SBR	43.8	7.3	8.0						
A-2	A3	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1700	2610	2875	2750	KPH21	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1699	2608	2875	2750	KDH21	$
		3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0						
A-2	A3	3.02	P185/70R14	TJA	SBR	43.4	8.0	8.8	1752	2668	3000	3000	KVP22	$
	L	3.02	P185/70R14	TJA	SBR	43.4	8.0	8.8	1750	2676	3000	3000	KCP22	$
		3.02	P185/70R14	TJA	SBR	43.4	8.0	8.8						
A-2	A3	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1772	2746	3000	3000	KVP27	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0						
		3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0						
A-2	A3	3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0	1780	2770	3125	3000	KCP27	$
	L	3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0						
		3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0						

ISSUE DATE: 8/31/84

REV 10/ 1/84 3/ 7/85
10/ 4/84 3/14/85
10/19/84 $ 3/27/85
11/ 1/84
12/20/84

EO No. A-9-143
page LJ

ENGINE FAMILY [illegible] DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM TWC OL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRANS TYPE CODE	WHEELS STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL
M-4	M5	2.55	P185/70R14	TJ4	SBR	36.6	5.7	6.3	1665	2643	3000	3000	GVH24
		[illegible]	P195/70R14	TKJ	SBR	35.8	5.4	6.0	1670	2679	3000	3000	GCH24
		[illegible]	P185/70R14	TJ4	SBR	36.6	5.7	6.3					
M-4	M5	2.55	P205/60HR15	TPR	SBR	36.0	5.6	6.4	1705	2750	3000	3000	GCP24
		2.55	P205/60HR15	TPR	SBR	36.0	5.8	6.4					
		2.55	P205/60HR15	TPR	SBR	36.0	5.8	6.4					
M-4	M5	[illegible]	P185/70R14	TJ4	SBR	36.6	7.6	7.7	1699	2720	3000	3000	HDH44
		[illegible]	P195/70R14	TKJ	SBR	35.5	6.5	7.2	1635	2735	3000	3000	HCH44
		2.55	P185/70R14	TJ4	SBR	36.6	7.0	7.7					
									1702	2769	3125	3000	HCP44
M-4	M5	[illegible]	P195/70R14	TKJ	SBR	35.8	6.5	7.2	$1723	$2779	$3125	3000	HDS44
		[illegible]	P195/70R14	TKJ	SBR	35.8	6.5	7.2					
		[illegible]	P205/60HR15	TPR	SBR	36.0	6.7	7.4					

ISSUE DATE: 3/27/85

REV 1 4/ 2/85

EO. A-9-143
page LM

ENGINE FAMILY CCF2.5V5FAM9 DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL
M-2	M5	2.55	P185/70R14	TJA	SBR	36.6	5.7	6.3	1665	2643	3000	3000	GVH24
		2.55	P195/70R14	TKJ	SBR	35.8	5.4	6.0	1670	2679	3000	3000	GCH24
		2.55	P185/70R14	TJA	SBR	36.6	5.7	6.3					
M-2	M5	2.55	P205/60HR15	TPR	SBR	36.0	5.8	6.4	1705	2750	3000	3000	GCF24
		2.55	P205/60HR15	TPR	SBR	36.0	5.8	6.4					
		2.55	P205/60HR15	TPR	SBR	36.0	5.8	6.4					
M-2	M5	2.55	P185/70R14	TJA	SBR	36.6	7.0	7.7	1689	2720	3000	3000	HDH44
		2.55	P195/70R14	TKJ	SBR	35.8	6.5	7.2	1695	2735	3000	3000	HCH44
		2.55	P185/70R14	TJA	SBR	36.6	7.0	7.7					
									1702	2769	3125	3000	HCP44
M-2	M5	2.55	P195/70R14	TKJ	SBR	35.8	6.5	7.2	$1723	$2779	$3125	3000	HDS44
		2.55	P195/70R14	TKJ	SBR	35.8	6.5	7.2					
		2.55	P205/60HR15	TPR	SBR	36.0	6.7	7.4					

ISSUE DATE: 8/31/84

EV 10/ 1/84 3/14/85
10/ 4/84 3/27/85
10/19/84 $ 4/ 2/85
11/ 1/84
12/20/84

E No A-9-143
page 1C

ENGINE FAMILY [illegible] DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM TWC CL EGR TF1

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRANS TYPE CODE	DRIVE TO MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL
A-3	A3	2.76	P175/80R13	TEG	SBR	40.7	7.3	8.0	1674	2600	2875	2750	KPM41
	L	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1673	2599	2875	2750	KDM41
		2.78	P175/80R13	TEG	SBR	40.7	7.3	8.0					
A-3	A3	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1678	2607	2875	2750	KFH41
	L	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1677	2605	2875	2750	KDH41
		2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0					
A-3	A3	3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5	1717	2685	3000	3000	KCP41
	L	3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5					
		3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5					
A-3	A3	3.02	P185/70R14	TJA	SBR	43.4	7.0	7.7	1734	2750	3000	3000	HDH44
	L	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2	1740	2757	3000A	3000	HCH44
		3.02	P185/70R14	TJA	SBR	43.4	7.0	7.7					
									1743	2787	3125	3000	HCP44
A-3	A3	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2	1761	2799	3125	3000	HDS44
	L	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2					
		3.02	P205/60HR15	TFR	SBR	42.6	6.7	7.4					
A-3	A3	3.02	P175/80R13	TEG	SBR	43.8	7.2	7.9	1639	2706	3000	3000	KPM45
	L	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1638	2704	3000	3000	KDM45
		3.02	P175/80R13	TEG	SBR	43.8	7.2	7.9					
A-3	A3	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1659	2722	3000	3000	KPH45
	L	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1658	2720	3000	3000	KDH45
		3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9					

ISSUE DATE: 3/27/85

REV

[illegible] CORPORATION VEHICLE DESCRIPTION CALIFORNIA

ENGINE FAMILY [illegible] DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRANS TYPE CODE	GAT STD MIN MAX	TIRES STD MIN MAX	TIP TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	
A-3	A3	3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3	1707	2665	3000	3000	EJM41	
	L	3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3	1709	2663	3000	3000	EEM41	
		3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3						
									1712	2676	3000	3000	EJH41	
									1716	2676	3000	3000	EEH41	
A-3	A3	3.02	P185/70R14	TJA	SBR	43.4	5.7	6.3	1697	2668	3000	3000	GVH24	
	H	3.02	P185/70R14	TKJ	SBR	43.4	5.4	6.0	1701	2704	3000	3000	GCH24	
		3.02	P185/70R14	TJA	SBR	43.4	5.7	6.3						
A-3	A3	2.78	P175/80R13	TEG	SBR	40.3	7.3	8.0	1648	2531	2875	2750	KPL21	
	L	2.78	P185/70HR14	TJE	SBR	39.9	6.9	7.6	1648	2531	2875	2750	KDL21	
		2.79	P175/80R13	TEG	SBR	40.3	7.3	8.0						
A-3	A3	2.78	P175/80R13	TEG	SBR	40.3	7.3	8.0	1674	2564	2875	2750	KPM21	
	L	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1673	2582	2875	2750	KDM21	
		2.78	P175/80R13	TEG	SBR	40.3	7.3	8.0						
A-3	A3	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1679	2551	2875	2750	KPH21	
	L	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1678	2589	2875	2750	KDH21	
		2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0						
A-3	A3	3.02	P185/70R14	TJA	SBR	43.4	8.0	8.8	1733	2649	3000	3000	KVP22	
	L	3.02	P185/70R14	TJA	SBR	43.4	8.0	8.8	1729	2662	3000	3000	KCP22	
		3.02	P185/70R14	TJA	SBR	43.4	8.0	8.8						
A-3	A3	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1746	2723	3000	3000	KVP27	
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0						
		3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0						
A-3	A3	3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0	1749	2736	3000	3000	KCP27	
	L	3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0						
		3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0						
A-3	A3	2.78	P175/80R13	TEG	SBR	40.3	7.3	8.0	1647	2537	2875	2750	KPL41	2
	L	2.78	P185/70HR14	TJE	SBR	39.9	6.9	7.6	1647	2537	2875	2750	KDL41	1
		2.78	P175/80R13	TEG	SBR	40.3	7.3	8.0						

ISSUE DATE: 3/27/85

REV

L CHRYSLER CORPORATION VEHICLE DESCRIPTIONS CALIFORNIA

ENGINE FAMILY [illegible] DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

WEIGHT CODE	TRANS TYPE CODE	DATA STD MIN MAX	TIRES STD MIN MAX	TIR TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	G
A-1	A3	2.78	P175/80R13	TFG	SBR	40.3	7.3	8.0	1674	2600	2875	2750	KPM41	$
	L	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1673	2598	2875	2750	KDM41	$
		2.78	P175/80R13	TFG	SBR	40.3	7.3	8.0						
A-1	A3	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1678	2667	2875	2750	KPH41	$
	L	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1677	2605	2875	2750	KDH41	$
		2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0						
A-1	A3	3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5	1717	2685	3000	3000	KCP41	$
	L	3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5						
		3.02	P185/70R14	TJA	SBR	43.4	8.5	9.5						
A-1	A3	3.02	P185/70R14	TJA	SBR	43.4	7.0	7.7	1734	2750	3000	3000	HDH44	$
	L	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2	1740	2757	3000A	3000	HCH44	$
		3.02	P185/70R14	TJA	SBR	43.4	7.0	7.7						
									1743	2787	3125	3000	HCP44	$
A-1	A3	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2	1761	2799	3125	3000	HDS44	$
	L	3.02	P195/70R14	TKJ	SBR	42.4	6.5	7.2						
		3.02	P205/60R15	TLF	SBR	42.0	6.7	7.4						
A-1	A3	3.02	P175/80R13	TFG	SBR	43.4	7.2	7.9	1639	2706	3000	3000	KPM45	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1638	2704	3000	3000	KDM45	$
		3.02	P175/80R13	TFG	SBR	43.4	7.2	7.9						
A-1	A3	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1659	2722	3000	3000	KPH45	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9	1658	2720	3000	3000	KDH45	$
		3.02	P185/70R14	TJA	SBR	43.4	7.2	7.9						

ISSUE DATE: 10/ 1/84

REV 10/ 4/84 $ 3/27/85
10/19/84
11/ 1/84
3/ 7/85
3/ 8/85

[illegible] CORPORATION VEHICLE DESCRIPTIONS CALIFORNIA

ENGINE FAMILY [illegible] DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRAN TYPE CODE	[illegible] STD MIN MAX	TIRES STD MIN MAX	TIR TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD FT	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	GC
A-1	A3	3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3	1707	2665	3000	3000	EJM41	$
	L	3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3	1709	2663	3000	3000	EEM41	$
		3.02	P185/70R14	TJT	SBR	43.4	7.5	8.3						
									1712	2676	3000	3000	EJH41	$
									1716	2676	3000	3000	EEH41	$
A-1	A3	3.02	P185/70R14	TJA	SBR	43.4	5.7	6.3	1697	2668	3000	3000	GVH24	$
	H	3.02	P185/70R14	TKJ	SBR	42.4	5.4	6.9	1701	2704	3000	3000	GCH24	$
		3.02	P185/70R14	TJA	SBR	43.4	5.7	6.3						
A-1	A3	2.78	P175/80R13	TEG	SBR	40.3	7.3	8.0	1648	2531	2875	2750	KPL21	$
	L	2.78	P185/70HR14	TJE	SBR	39.9	6.9	7.6	1648	2531	2875	2750	KDL21	$
		2.78	P175/80R13	TEG	SBR	40.3	7.3	8.0						
A-1	A3	2.78	P175/80R13	TEG	SBR	40.3	7.3	8.0	1674	2584	2875	2750	KPM21	$
	L	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1673	2582	2875	2750	KDM21	$
		2.78	P175/80R13	TEG	SBR	40.3	7.3	8.0						
A-1	A3	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1679	2591	2875	2750	KPH21	$
	L	2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0	1678	2589	2875	2750	KDH21	$
		2.78	P185/70R14	TJA	SBR	39.9	7.3	8.0						
A-1	A3	3.02	P185/70R14	TJA	SBR	43.4	8.0	8.8	1733	2649	3000	3000	KVP22	$
	L	3.02	P185/70R14	TJA	SBR	43.4	8.0	8.8	1729	2662	3000	3000	KCP22	$
		3.02	P185/70R14	TJA	SBR	43.4	8.0	8.8						
A-1	A3	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0	1746	2723	3000	3000	KVP27	$
	L	3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0						
		3.02	P185/70R14	TJA	SBR	43.4	7.3	8.0						
A-1	A3	3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0	1749	2736	3000	3000	KCP27	$
	L	3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0						
		3.02	P185/70R14	TJT	SBR	43.4	7.3	8.0						
A-1	A3	2.78	P175/80R13	TEG	SBR	40.3	7.3	8.0	1647	2537	2875	2750	KPL41	$
	L	2.78	P185/70HR14	TJE	SBR	39.9	6.9	7.6	1647	2537	2875	2750	KDL41	$
		3.02	P175/80R13	TEG	SBR	43.8	7.3	8.0						

ISSUE DATE: 8/31/84

EV 10/ 1/84 3/ 7/85
10/ 4/84 3/14/85
10/19/84 & 3/27/85
11/ 1/84
12/20/84

CHRYSLER CORPORATION VEHICLE DESCRIPTIONS CALIFORNIA

ENGINE FAMILY [illegible] DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

G

ENGINE CODE	TRANS. TYPE CODE	RATIO STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL
M-3	M5	2.19	P185/70R14	TJA	SBR	31.5	7.2	7.9	1617	2682	3000	3000	KPH45
		2.19	P185/70R14	TJA	SBR	31.5	7.2	7.9	1616	2680	3000	3000	KDH45
		2.19	P185/70R14	TJA	SBR	31.5	7.2	7.9					

ISSUE DATE: 3/27/85

REV

ENGINE FAMILY [illegible] DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRANS TYPE CODE	DATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL
M-3	M5	2.55	P185/70R14	TJA	SBR	36.6	5.7	6.3	$1659	$2647	$3000	$3000	GVH24
		2.55	P195/70R14	TKJ	SPR	35.8	5.4	6.0	1657	2666	3000	3000	GCH24
		2.55	P185/70R14	TJA	SBR	36.6	5.7	6.3					
M-3	M5	2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0	1607	2493	2750	2750	KPL21
		2.19	P185/70HR14	TJE	SBR	31.5	6.9	7.6	1607	2493	2750	2750	KDL21
		2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0					
M-3	M5	2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0	1618	2512	2750A	2750	KPM21
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1618	2512	2750A	2750	KDM21
		2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0					
M-3	M5	2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1635	2549	2875	2750	KPH21
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1634	2547	2875	2750	KDH21
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0					
M-3	M5	2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0	1606	2499	2750	2750	KPL41
		2.19	P185/70HR14	TJE	SBR	31.5	6.9	7.6	1606	2499	2750	2750	KDL41
		2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0					
M-3	M5	2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0	1618	2528	2875	2750	KPM41
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1618	2528	2875	2750	KDM41
		2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0					
-3	M5	2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1634	2565	2875	2750	KPH41
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1633	2563	2875	2750	KDH41
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0					
-3	M5	2.55	P185/70R14	TJA	SBR	36.6	7.0	7.7	1688	2709	3000	3000	HDH44
		2.55	P195/70R14	TKJ	SPR	35.8	6.5	7.2	1694	2716	3000	3000	HCH44
		2.55	P185/70R14	TJA	SBR	36.6	7.0	7.7					
									1701	2758	3000A	3000	HCP44
-3	M5	2.55	P195/70R14	TKJ	SBR	35.8	6.5	7.2	$1726	$2774	$3125	3000	HDS44
		2.55	P195/70R14	TKJ	SBR	35.8	6.5	7.2					
		2.55	P205/60HR15	TPR	SBR	36.0	6.7	7.4					
-3	M5	2.19	P175/80R13	TEG	SBR	31.8	7.2	7.9	1600	2623	2875	2750	KPM45
		2.19	P185/70R14	TJA	SBR	31.5	7.2	7.9	1599	2621	2875	2750	KDM45
		2.19	P175/80R13	TEG	SBR	31.8	7.2	7.9					

ISSUE DATE: 3/27/85

EV [illegible] 4/ 2/85

EO [illegible] A-9-143
page 1N

ENGINE FAMILY [illegible] DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRANS TYP CODE	[illegible] STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	PC/I LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	G
M-1	M5	$2.19	P185/70R14	TJA	SBR	$31.5	7.2	7.9	1617	2682	3000	3000	KPH45	$
		$2.19	P185/70R14	TJA	SBR	$31.5	7.2	7.9	1616	2680	3000	3000	KDH45	$
		$2.19	P185/70R14	TJA	SBR	$31.5	7.2	7.9						

ISSUE DATE: 10/ 1/84

REV 10/ 4/84
10/19/84
11/ 1/84
3/ 7/85
$ 3/27/85

1986 CHRYSLER CORPORATION VEHICLE DESCRIPTION CALIFORNIA

EO A-9-143
page 1P

ENGINE FAMILY GCP2.5VDAMD DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM TWC CL EGR TFI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FAM

ENGINE CODE	TRANS TYPE CODE	DATE STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL
M-1	M5	2.55	P185/70R14	TJA	SBR	36.6	5.7	6.3	$1659	$2647	$3000	$3000	GVH24
		2.55	P195/70R14	TKJ	SBR	35.8	5.4	6.0	1657	2666	3000	3000	GCH24
		2.55	P185/70R14	TJA	SBR	36.6	5.7	6.3					
M-1	M5	2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0	1607	2493	2750	2750	KPL21
		2.19	P185/70HR14	TJF	SBR	31.5	6.9	7.6	1607	2493	2750	2750	KDL21
		2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0					
M-1	M5	2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0	1618	2512	2750A	2750	KPM21
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1618	2512	2750A	2750	KDM21
		2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0					
M-1	M5	2.19	P195/70R14	TJA	SBR	31.5	7.3	8.0	1635	2549	2875	2750	KPH21
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1634	2547	2875	2750	KDH21
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0					
M-1	M5	2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0	1606	2499	2750	2750	KPL41
		2.19	P185/70HR14	TJF	SBR	31.5	6.9	7.6	1606	2499	2750	2750	KDL41
		2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0					
M-1	M5	2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0	1618	2528	2875	2750	KPM41
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1618	2528	2875	2750	KDM41
		2.19	P175/80R13	TEG	SBR	31.8	7.3	8.0					
M-1	M5	2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1634	2565	2875	2750	KPH41
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0	1633	2563	2875	2750	KDH41
		2.19	P185/70R14	TJA	SBR	31.5	7.3	8.0					
M-1	M5	2.55	P185/70R14	TJA	SBR	36.6	7.0	7.7	1688	2709	3000	3000	HDH44
		2.55	P195/70R14	TKJ	SBR	35.8	6.5	7.2	1694	2716	3000	3000	HCH44
		2.55	P185/70R14	TJA	SBR	36.6	7.0	7.7					
									1701	2758	3000A	3000	HCP44
M-1	M5	2.55	P195/70R14	TKJ	SBR	35.8	6.5	7.2	$1726	$2774	$3125	3000	HDS44
		2.55	P195/70R14	TKJ	SBR	35.8	6.5	7.2					
		2.55	P205/60HR15	TPP	SBR	36.0	6.7	7.4					
M-1	M5	2.19	P175/80R13	TEG	SBR	31.8	7.2	7.9	1600	2623	2875	2750	KPM45
		2.19	P185/70R14	TJA	SBR	31.5	7.2	7.9	1599	2621	2875	2750	KDM45
		2.19	P175/80R13	TEG	SBR	31.8	7.2	7.9					

ISSUE DATE: 8/31/84

REV 10/ 1/84 3/ 7/85
10/ 4/84 3/19/85
10/19/84 3/27/85
11/ 1/84 $ 4/ 2/85
12/20/84

E.O. #A-9-143

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars ___ Light-Duty Trucks ___ Medium-Duty Vehicles X Gas ___ Diesel

Manufacturer CHRYSLER CORPORATION

Page 2

Engine Family GCR2.5V5FAM9

Engine Code M-1 & M-2

ECS (Special Features) EGR,TWC,CL (EFI)

CID (Liter)-Type 152/135(2.5/2.2)-SOHC4

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Power Module Part No.	Fuel System Throttle Body Part No.	EGR Valve Part No.	Label Ident. Part No.
M-1 2.2L	KPL21;KDL21;KPM21; KDM21;KPL41;KDL41	M5	2750	05226765	04275622 04307622	04287808	VECI 4288961
	KPH21;KDH21;KPM41; KDM41;KPH41;KDH41; KPM45;KDM45		2875				VAC. HOSE 4307651
	HDH44;HCH44;HCP44; KPH45;KDH45		3000				
	HDS44		3125				
M-2 2.5L	GVH24;GCH24;GCF24; HDH44;HCH44		3000		04275623 04307623		VECI 4288964
	HCP44;HDS44		3125				VAC. HOSE 4307651

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 04/25/85

D7108D

E.O. #A-9-143

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars ___ Light-Duty Trucks ___ Medium-Duty Vehicles X Gas ___ Diesel

Manufacturer CHRYSLER CORPORATION

Page 3

Engine Family GCR2.5V5FAM9

Engine Code M-3 & M-4

ECS (Special Features) EGR,TWC,CL (EFI)

CID (Liter)-Type 152/135(2.5/2.2)-SOHC4

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Power Module Part No.	Fuel System Throttle Body Part No.	EGR Valve Part No.	Label Ident. Part No.
*M-5 2.2L	KPL21;KDL21;KPM21; KDM21;KPL41;KDL41	M5	2750	05226765	04307622 04275622	04287808	VECI 4288961
**M-7	KPH21;KDH21;KPM41; KDM41;KPH41;KDH41; KPM45;KDM45		2875				VAC. HOSE 4307651
	GVH24;GCH24;HDH44; HCH44;HCP44;KPH45; KDH45		3000				
	HDS44		3125				
M-4 2.5L	GVH24;GCH24;GCP24; HDH44;HCH44		3000		04307623 04275623		VECI 4288964
**M-6 M-10	HCP44;HDS44		3125				VAC. HOSE 4307651

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 04/25/85

Revised - 06/10/85: R.C. 18C dated 05/11/85 (Revise part throttle enrichment, governor spark advance and open throttle spark advance trim above 3200 RPM.)

**Revised - 08/19/85: R.C. 38c dated 08/05/85 (Revise base fuel calibration on all models, part throttle enrichment on all 2.2L engines, adaptive memory boundry on all 2.2L automatic transmission models, fuel cut off RPM on all 2.5L engines and warm idle drive spark advance.

E.O. #A-9-143

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars ___ Light-Duty Trucks ___ Medium-Duty Vehicles X Gas ___ Diesel

Manufacturer Chrysler Corporation

Page 4

Engine Family GCR2.5V5FAM9

Engine Code A-1 & A-2

ECS (Special Features) EGR,TWC,CL (EFI)

CID (Liter)-Type 152/135(2.5/2.2)-SOHC4

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Power Module Part No.	Fuel System Throttle Body Part No.	EGR Valve Part No.	Label Ident. Part No.
A-1 2.2L	KPL21;KDL21;KPM21;KDM21;KPH21;KDH21;KPL41;KDL41;KPM41;KDM41;KPH41;KDH41	A3	2875	05226765	04275622 04307622	04287807	VECI 4288961 VAC. HOSE 4307651
	KCP41;HDH44;HCH44;KPM45;KDM45;KPH45;KDH45;EJM41;EEM41;EJH41;EEH41;GVH24;GCH24;KVP22;KCP22;KVP27;KCP27		3000				
	HCP44;HDS44		3125				
A-2 2.5L	KPM21;KDM21;KPH21;KDH21;KPM41;KDM41;KPH41;KDH41		2875		04275623 04307623		VECI 4288964 VAC. HOSE 4307651
	EJM41;EEM41;EJH41;EEH41;GVH24;GCH24;KVP22;KCP22;KVP27;KCP41;KPM45;KDM45;KPH45;KDH45		3000				
	GCP24;KCP27;HDH44;HCH44;HCP44;HDS44;KCP45		3125				
	ETP41		3250				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 04/25/85

D71080

E.O. #A -9-143

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars ___ Light-Duty Trucks ___ Medium-Duty Vehicles X Gas ___ Diesel

Manufacturer Chrysler Corporation

Page 5

Engine Family GCR2.5V5FAM9

Engine Code A-3 & A-4

ECS (Special Features) EGR,TWC,CL (EFI)

CID (Liter)-Type 152/135(2.5/2.2)-SOHC4

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Power Module Part No.	Fuel System Throttle Body Part No.	EGR Valve Part No.	Label Ident. Part No.
*A-5 2.2L **A-7 A-11	KPL21;KDL21;KPM21 KDM21;KPH21;KDH21 KPL41;KDL41;KPM41 KDM41;KPH41;KDH41	A3	2875	05226765	04307622 04275622	04287807	VECI 4288996** VAC. HOSE 4307651
	EJM41;EEM41;EJH41 EEH41;GVH24;GCH24 KVP22;KCP22;KVP27 KCP27;KCP41;HDH44 HCH44;KPM45:KDM45 KPH45;KDH45		3000				
	HCP44;HDS44		3125				
A-4 2.5L **A-6 A-10	KPM21;KDM21;KPH21 KDH21;KPM41;KDM41 KPH41;KDH41		2875		04307623 04275623		VECI 4288996** VAC. HOSE 4307651
	EJM41;EEM41;EJH41 EEH41;GVH24;GCH24 KVP22;KCP22;KVP27 KCP41;KPM45;KDM45 KPH45;KDH45		3000				
	GCP24;KCP27;HDH44 HCH44;HCP44;HDS44 KCP45		3125				
	ETP41		3250				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 04/25/85

*Revised - 06/10/85: R.C. 18C dated 05/11/85 (Revise part throttle enrichment, governor spark advance and open throttle spark advance trim above 3200 RPM.)

**Revised - 08/19/85: R.C. 38c dated 08/05/85 (Revise base fuel calibration on all models, par throttle enrichment on all 2.2L engines, adaptive memory boundry on all 2.2L automatic transmission models, fuel cut off RPM on all 2.5L engines and warm idle drive spark advance for all automatic transmission models

E.O. #A -9-143

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars ___ Light-Duty Trucks ___ Medium-Duty Vehicles X Gas ___ Diesel

Manufacturer CHRYSLER CORPORATION

Page 6

Engine Code M-8 & M-9

Engine Family GCR2.5V5FAM9

CID (Liter)-Type 152/135(2.5/2.2)-SOHC4

ECS (Special Features) EGR,TWC,CL (EFI)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Power Module Part No.	Fuel System Throttle Body Part No.	EGR Valve Part No.	Label Ident. Part No.
M-8 2.2L	KPL21;KDL21;KPM21; KDM21;KPL41;KDL41	M5	2750	05226765	04307622 04275622	04287808	VECI 4288961
M-11	KPH21;KDH21;KPM41; KDM41;KPH41;KDH41; KPM45;KDM45		2875				VAC. HOSE 4307651
	GVH24;GCH24;HDH44; HCH44;HCP44;KPH45; KDH45		3000				
	HDS44		3125				
2.5L	GVH24;GCH24;GCP24; HDH44;HCH44		3000		04307623 04275623		VECI 4288964
	HCP44;HDS44		3125				VAC. HOSE 4307651

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 09/03/85: R.C. 51C dated 08/27/85. (Revise MAP sensor 'bleed' in MAP sensor vacuum line from a sintered metal filter to a filtered .006" diameter orifice.)

E.O. #A-9-143

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

x Passenger Cars ___ Light-Duty Trucks ___ Medium-Duty Vehicles x Gas ___ Diesel

Manufacturer CHRYSLER CORPORATION

Page 7

Engine Code A-9 & A-8

Engine Family GCR2.5V5FAM9

CID (Liter)-Type 152/135(2.5/2.2)-SOHC4

ECS (Special Features) EGR,TWC,CL (EFI)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Power Module Part No.	Fuel System Throttle Body Part No.	EGR Valve Part No.	Label Ident. Part No.
A-9 2.2L A-13	KPL21;KDL21;KPM21; KDM21;KPH21;KDH21; KPL41;KDL41;KPM41; KDM41;KPH41;KDH41	A3	2875	05226765	04307622 04275622	04287807	VECI 4288961 VAC. HOSE 4307651
	EJM41;EEM41;EJH41; EEH41;GVH24;GCH24; KVP22;KCP22;KVP27; KCP27;KCP41;HDH44; HCH44;KPM45;KDM45; KPH45;KDH45		3000				
	HCP44;HDS44		3125				
2.5L A-12	KPM21;KDM21;KPH21; KDH21;KPM41;KDM41; KPH41;KDH41		2875		04307623 04275623		VECI 4288964 VAC. HOSE 4307651
	EJM41;EEM41;EJH41; EEH41;GVH24;GCH24; KVP22;KCP22;KVP27; KCP41;KPM45;KDM45; KPH45;KDH45		3000				
	GCP24;KCP27;HDH44; HCH44;HCP44;HDS44; KCP45		3125				
	ETP41		3250				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 09/03/85: R.C. 51C dated 08/27/85. (Revise MAP sensor 'bleed' to MAP sensor vacuum line from a sintered metal filter to a filtered .006" diameter orifice.)

071080

E.O. #A -9-143

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars __ Light-Duty Trucks __ Medium-Duty Vehicles X Gas __ Diesel

Manufacturer Chrysler Corporation

Page 8

Engine Code California

Engine Family GCR2.5V5FAM9

CID (Liter)-Type 152/135(2.5/2.2)-SOHC4

ECS (Special Features) EGR,TWC,CL (EFI)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Label Ident. Part No.
M-1							VAC. HOSE 4306844
M-2							
M-4							
M-5							
M-6							
M-7							
M-9							
M-10							
A-1							
A-2							
A-4							
A-5							
A-6							
A-7							
A-8							
A-9							

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 11/14/85: Field Fix 16C dated 08/26/85. (Relocate MAP Sensor to Underhood Area.)

071080