State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-52-1
Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
HHN2.5V5FZC6	152/163 (2.5/2.7)	Air Injection-Valve Exhaust Gas Recirculation Three-Way Catalyst Dual Oxygen Sensors (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0.28	1.9	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

This Executive Order supersedes Executive Order A-23-52 issued on October 16, 1986.

Executed at El Monte, California this 3rd day of March, 1987.

K. D. Drachand, Chief
Mobile Source Division

1825E/0130M

E.O. # A-23-52 -1

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer HONDA Engine Family HHN2.5V5FZC6

Evaporative Family 87FH Engine Type V - 6

Liters (CID) 2.5 (152)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
SPL-Smoke Puff Limiter or Throttle Delay
TOC-Trap Oxidizer, Continual
TOP-Trap Oxidizer, Periodical
TR-Thermal Reactor
TWC-Three-way Catalyst System

Special Features

CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
EFI-Electronic Fuel Injection
IC-Intercooler or aftercooler
MFI-Mechanical Fuel Injection
TC-Turbocharger

Fuel System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor

VEHICLE MODELS:

Engine Code	Vehicle Model	Transmission
HZ1/1	Legend 4-Door Sedan	M5
HZ3/1	Legend 4-Door Sedan	A4

Engine : Front X Mid. ____ Rear ____

Drive : FWD X RWD ____ 4WD Full Time ____ 4WD Part Time ____

E.O. # A-23-52-1

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X Light-Duty Trucks ___ Medium-Duty Vehicles ___ Gas X Diesel ___

Manufacturer HONDA Engine Family HHN2.5V5FZC6

Liter (CID) 2.5 (152) Engine Type V - 6

Emission Control Sys. (Special Features) AIV, CL, EGR, TWC (EFI)

Engine Code	Vehicle Models (If Coded see attachment) *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
HZ1/1 -27	Legend 4 Door Sedan	M5	3375	CA, EI & VA Toyo Denso Distributor TD-03R	CL & EFI Matsushita Tsushin ECU 37820-PH7 -6850	18710-PH7 -6612	18150-PL2 -6611
HZ3/1 -46		A4		CA, EI & VA Toyo Denso Distributor TD-04R	CL & EFI Matsushita Tsushin ECU 37820-PH7 -6951		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

*: Please refer to page 08-2 in 1987 Application.

Date of Issued 08/10/86 Revisions: 01/30/87 10/16/87 (RC#46)

E.O. # A-23-52-1

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

ssenger Cars X Light-Duty Trucks ___ Medium-Duty Vehicles ___ Gas X Diesel ___

Manufacturer HONDA Engine Family HHN2.5V5FZC6

Liter (CID) 2.7 (163) Engine Type V - 6

Emission Control Sys. (Special Features) AIV, CL, EGR, TWC (EFI)

Engine Code	Vehicle Models (If Coded see attachment) *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
HZ2/1 -34	Legend Coupe	M5	3375	EI Igniter Unit 30120-PL2 -0040 ESAC ECU 37820-PL2 -L220	CL & EFI ECU 37820-PL2 -L220	18710-PH7 -6612	18150-PL2 -6611
HZ4/1 -34	Legend Coupe	A4	3375	EI Igniter Unit 30120-PL2 -0040 ESAC ECU 37820-PL2 -L320	CL & EFI ECU 37820-PL2 -L320	18710-PH7 -6612	18150-PL2 -6611

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

*: Please refer to page 08-2 in 1987 Application.

Date of Issued 01/10/87 Revisions: 10/15/87 (RC #34)

E.O. # A-23-52-1

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer HONDA

Engine Family HHN2.5V5FZC6

Evaporative Family 87FJ

Engine Type V - 6

Liters (CID) 2.7 (163)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
SPL-Smoke Puff Limiter or Throttle Delay
TOC-Trap Oxidizer, Continual
TOP-Trap Oxidizer, Periodical
TR-Thermal Reactor
TWC-Three-way Catalyst System

Special Features

CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
EFI-Electronic Fuel Injection
IC-Intercooler or aftercooler
MFI-Mechanical Fuel Injection
TC-Turbocharger

Fuel System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor

VEHICLE MODELS:

Engine Code	Vehicle Model	Transmission
HZ 2/1	Legend Coupe	M5
HZ 4/1	Legend Coupe	A4

Engine : Front X Mid. ____ Rear ____

Drive : FWD X RWD ____ 4WD Full Time ____ 4WD Part Time ____

E.O. # A-23-52-1

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X Light-Duty Trucks ___ Medium-Duty Vehicles ___ Gas X Diesel ___

Manufacturer HONDA Engine Family HHN2.5V5FZC6

Liter (CID) 2.5 (152) Engine Type V - 6

Emission Control Sys. (Special Features) AIV, CL, EGR, TWC (EFI)

Engine Code	Vehicle Models (If Coded see attachment) *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
HZ1/1-27	Legend 4 Door Sedan	M5	3375	CA, EI & VA Toyo Denso Distributor TD-03R	CL & EFI Matsushita Tsushin ECU 37820-PH7 -6850	18710-PH7 -6612	18150-PL2 -6611
HZ3/1-27		A4		CA, EI & VA Toyo Denso Distributor TD-04R	CL & EFI Matsushita Tsushin ECU 37820-PH7 -6951		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

*: Please refer to page 08-2 in 1987 Application.

Date of Issued 08/10/86 Revisions: 01/30/87 (RC # 27)

E.O. # A-23-52-1

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X Light-Duty Trucks ___ Medium-Duty Vehicles ___ Gas X Diesel ___

Manufacturer HONDA Engine Family HHN2.5V5FZC6

Liter (CID) 2.7 (163) Engine Type V - 6

Emission Control Sys. (Special Features) AIV, CL, EGR, TWC (EFI)

Engine Code	Vehicle Models (If Coded see attachment) *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
HZ2/1	Legend Coupe (7.7)	M5	3375	EI Igniter Unit 30120-PL2 -0040 ESAC ECU 37820-PL2 -6840	CL & EFI ECU 37820-PL2 -6840	18710-PH7 -6612	18150-PL2 -6611
HZ4/1		A4		EI Igniter Unit 30120-PL2 -0040 ESAC ECU 37820-PL2 -6940	CL & EFI ECU 37820-PL2 -6940		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

*: Please refer to page 08-2 in 1987 Application.

Date of Issued 01/10/87 Revisions: