State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-56
Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Isuzu Motors Limited exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Cubic Inches	(Liters)	Exhaust Emission Control Systems (Special Features)
HSZ138T2FDGO	138	(2.3)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0-3999	0.41	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.28	2.6	0.4

BE IT FURTHER RESOLVED: That the listed models certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and, with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 8th day of August, 1986.

K. D. Drachand, Chief
Mobile Source Division

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Isuzu Motors Limited

Engine Family HSZ138T2FDGO

Evaporative Family CAN-E

Engine Type L-4

Liters (CID) 138(2.3)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
SPL-Smoke Puff Limiter or Throttle Delay
TOC-Trap Oxidizer, Continual
TOP-Trap Oxidizer, Periodical
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
EFI-Electronic Fuel Injection
IC-Intercooler or aftercooler
MFI-Mechanical Fuel Injection
TC-Turbocharger

Fuel System

CFI, CL, DID, DIP, EFI, MFI,
nV-nVenturi Carburetor

VEHICLE MODELS:

Models: Isuzu P'UP

KG-1M : Pick-up 2WD (Short Wheel base)
KG-2M : Pick-up 2WD (Long Wheel base)
KG-3M : Pick-up 2WD (Long Wheel base, Extended Cab)
KG-4M : Pick-up 4WD (Short Wheel base)
KG-5M : Pick-up 4WD (Long Wheel base)
KG-6M : Pick-up 4WD (Long Wheel base, Extended Cab)

Models: Isuzu Trooper

UG-7M : Special Purpose Vehicle 4WD (2 Seaters)
UG-8M : Special Purpose Vehicle 4WD (5 Seaters)

Models: Isuzu Trooper II

UG-7L : Special Purpose Vehicle 4WD (2 Seaters)
UG-8L : Special Purpose Vehicle 4WD (5 seaters)

Engine: Front X Mid. _____ Rear _____

Drive: FWD _____ RWD X 4WD Full Time _____ 4WD Part Time X

Revisions: (A) Addition of vehicle models (UG-7M, UG-8M, UG-7L & UG-8L) by RC87T02 on 071186.

030186

E.O. # A-20-56

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars _____ Light-Duty Trucks X Medium-Duty Vehicles _____ Gas X Diesel _____

Manufacturer Isuzu Motors Limited Engine Family HSZ138T2FDGO

Liter (CID) 138(2.3) Eng. Type L-4

Emission Control Sys. (Special Features) TWC, CL, AIP and EGR

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System CA,VA Distributor Part No.	Fuel System 2V Carburetor Part No.	EGR Valve Part No.	Catalyst Part No.
TDG-11	KG-1M (10.4 HP)	M-5	2,875	8941672490	8941367640	8941224780	8089999990
	KG-2M (10.4 HP)		3,000				
	KG-3M (10.5 HP)						
TDG-12	KG-4M (11.5 HP)		3,250	8941619730			
	KG-5M (13.0 HP)		3,375				
	KG-6M (12.2 HP)						
TDG-13	KG-1M (10.4 HP)	A-3	2,875		8941367630		
	KG-2M (10.4 HP)		3,000				
	KG-3M (10.5 HP)						
TDG-16	UG-7L UG-8L UG-7M UG-8M (13.4 HP)	M-5	3,750	8941367650	8944300840		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue _____ Revisions: (A): Addition of engine code TDG-16 by RC87T02 on 071186.

030186