

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-48-16
Relating to Certification of New Motor Vehicles.

ROLLS-ROYCE MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Rolls-Royce Motors Limited exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
HRR412V6FAA3	412 (6.8)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Heated) (Mechanical Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.33	2.7	0.6

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29th day of July, 1986.



K. D. Drachand, Chief
Mobile Source Division

19_87 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-48-16

Page 1

17 02 - 6

Manufacturer Rolls-Royce Motors Limited Engine Family HRR412V6FAA3
 Evaporative Family No 1 Engine Type V8
 Liters (CID) 6.8 (412)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 SPL-Smoke Puff Limiter or Throttle Delay
 TOC-Trap Oxidizer, Continual
 TOP-Trap Oxidizer, Periodical
 TR-Thermal Reactor
 TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber
 EFI-Electronic Fuel Injection
 IC-Intercooler or aftercooler
 MFI-Mechanical Fuel Injection
 TC-Turbocharger

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor

VEHICLE MODELS:

Rolls-Royce Silver Spirit
 Rolls-Royce Silver Spur
 Rolls-Royce Silver Spur Limousine
 Rolls-Royce Corniche II
 Rolls-Royce Camargue
 Rolls-Royce Camargue Limited
 Bentley Eight
 Bentley Eight L
 Bentley Mulsanne
 Bentley Mulsanne L
 Bentley Continental

Engine: Front Mid. Rear
 Drive: FWD RWD 4WD Full Time 4WD Part Time

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-48-16

Passenger Cars Light-Duty Trucks _____ Medium-Duty Vehicles _____ Gas Diesel _____

Page 2

Manufacturer Rolls-Royce Motors Limited Engine Family HRR412V6FAA3

Liter (CID) 6.6 (412) Eng. Type V8

Emission Control Sys. (Special Features) AIP, EGR, TWC, CL (MFI)

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.	
A	<u>Rolls-Royce</u>	A3		CA, VA <u>Distributor</u>	MFI <u>ECU</u>		TWC	
	Silver Spirit		5250	Lucas:	UD 23352	GM:	Converter Assembly: UR 22101	
	Silver Spur		5250	41941	Bosch No.	07045068		
	Silver Spur Limousine		5500	RR:	0.280.800-01	RR:		UE 40755
	Corniche II		5500	UE 44406	<u>AIR METER</u>			
	Camargue		5500		Bosch No.			
	Camargue Limited		5500		0-438-120-157			
	<u>Bentley</u>				<u>FUEL DISTRIBUTOR</u>			
	Eight		5250		0-438-100-090			
	Eight L		5250					
	Mulsanne		5250					
	Mulsanne L		5250					
Continental	5500							

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 072986 Revisions: 020487 - FUEL SYST. P.Nos. REV.

MANUFACTURER'S HP LIST

Vehicle Models	Equiv Test Weight	RLHP (incl 10%) for ACU
----------------	-------------------------	-------------------------------

Rolls-Royce

Silver Spirit	5250	13.9
Silver Spur	5250	13.9
Silver Spur Limousine	5500	13.9
Corniche II	5500	14.8
Camargue	5500	14.7
Camargue Limited	5500	14.7

Bentley

Eight	5250	13.9
Eight L	5250	13.9
Mulsanne	5250	13.9
Mulsanne L	5250	13.9
Continental	5500	14.8

Issue Date	21 May '86	© Rolls-Royce Motors Limited 1984			
Revision Date					