State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-169
Relating to Certification of New Motor Vehicles

CHRYSLER MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Chrysler Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)
JCR2.5V5FBD5	135/152	(2.2/2.5)	Exhaust Gas Recirculation Three-Way Catalyst Heated Oxygen Sensor (Electronic Fuel Injection) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0.12	1.9	0.4

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]. . . " (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10th day of March, 1987.

K. D. Drachand, Chief
Mobile Source Division

ATTACHMENT TO SDS
PAGE 1, EXECUTIVE ORDER A-9-169

VEHICLE MODELS:	CARLINE:
CDH41,CDP41	DODGE DYNASTY
KDH21,KDH41	DODGE ARIES
KDH45	DODGE ARIES WAGON
EEH41,EEM41	DODGE 600
GVH24	DODGE DAYTONA
HDH44,HDS44	DODGE LANCER
PDH24,PDH44, PDL24,PDL44	DODGE SHADOW
KPH21,KPH41	PLYMOUTH RELIANT
KPH45	PLYMOUTH RELIANT WAGON
EJH41,EJM41	PLYMOUTH CARAVELLE
PPH24,PPH44, PPL24,PPL44	PLYMOUTH SUNDANCE
*LMH24,LMH44 LME44	PLYMOUTH HORIZON
*LZH24,LZH44 LZE44	DODGE OMNI

*Revised 11-30-87: R.C. #2C, Addition of Models.

ATTACHMENT TO SDS
PAGE 1, EXECUTIVE ORDER A-9-169

VEHICLE MODELS:	CARLINE:
CDH41,CDP41	DODGE DYNASTY
KDH21,KDH41	DODGE ARIES
KDH45	DODGE ARIES WAGON
EEH41,EEM41	DODGE 600
GVH24	DODGE DAYTONA
HDH44,HDS44	DODGE LANCER
PDH24,PDH44,	DODGE SHADOW
PDL24,PDL44	
KPH21,KPH41	PLYMOUTH RELIANT
KPH45	PLYMOUTH RELIANT WAGON
EJH41,EJM41	PLYMOUTH CARAVELLE
PPH24,PPH44,	PLYMOUTH SUNDANCE
PPL24,PPL44	

E.O. # A-9-169

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

[illegible]facturer CHRYSLER MOTORS CORPORATION Engine Family JCR2.5V5FBD5

Evaporative Family JCRVB Engine Type IN LINE 4 SOHC

Liters (CID) 2.2/2.5 (135/152)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
ECU-Electronic Control Unit
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

[illegible] System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
DBC-Dual Bed Catalyst
EGR-Exhaust Gas Recirculation
EIC-Electronic Injection Control
EM-Engine Modification
OC-Oxidation Catalyst
OS-Oxygen Sensor
HOS-Heated Oxygen Sensor
SPL-Smoke Puff Limiter or Throttle Delay
TOC-Trap Oxidizer, Continual
TOP-Trap Oxidizer, Periodical
TWC-Three-Way Catalyst
WUOC-Warm-Up Oxidation Catalyst
WUTWC-Warm-Up Three-Way Catalyt

Special Features

CCV-Combustion Chamber Valve
CFI-Central Fuel Injection or Throttle Body Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
EFI-Electronic Fuel Injection
IC-Intercooler or Aftercooler
MFI-Mechanical Fuel Injection
OBD-On-Board Diagnostics
TC-Turbocharger

VEHICLE MODELS:	CARLINE
JCH21,JCP21, KCP41,JCH27, JCP27	CHRYSLER LEBARON
HCH44,HCP44	CHRYSLER LEBARON GTS
KCP45	CHRYSLER TOWN & COUNTRY WAGON
CCH41	CHRYSLER NEW YORKER/5TH AVENUE
ETP41	*CHRYSLER NEW YORKER

CONTINUED ON NEXT PAGE

Engine: Front X Mid. _____ Rear _____

Drive: FWD X RWD _____ 4WD Full Time _____ 4WD Part Time _____

*Revised 11-30-87: Correction of Errata.

E.O. # A-9-169

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X Light-Duty Trucks ____ Medium-Duty Vehicles ____ Gas X Diesel ____

Manufacturer CHRYSLER MOTORS CORPORATION Engine Family JCR2.5V5FBD5

Liter (CID) 2.2(135) & 2.5(152) Eng. Type IN LINE 4 SOHC

Emission Control Sys. (Special Features) TWC,HOS,EGR,(EFI),OBD

Engine Code	Vehicle Models (If Coded see attachment) SEE ATTACH. FOR (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System THROTTLE BODY Part No.	EGR Valve Part No.	Catalys Part No.
M-1 (2.2L)	KPH21,KDH21	M5	2750	5233568 5233684*	4288296 4307296 4459296**	4287174	4301716 4301718 4301728 4301732
	PPL24,PDL24, PPH24,PDH24, PPL44,PDL44, PPH44,PDH44, KPH41,KDH41,		2875				
	HDH44,HCH44, KPH45,KDH45		3000+				
M-2 (2.5L)	PPH24,PDH24		2875	5233558 5233692*	4307297		
	~~PPH44,PDH44,~~ ~~GVH24~~		3000		4288297		
	~~JCH21,JCP21,~~ ~~HDH44,HCH44,~~ ~~HCP44~~,HDS44		3125				
	~~JCH27,JCP27~~		3250+				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 12-20-86

Revisions: 03-17-87: Correction of errata.
*04-03-87: R.C. 14, Revise ECU calibration.
**10-26-87: R.C. 45C, Release Optional Throttle Body & Fuel Injector Assembly.
+02-12-88: R.C. 82C, Production vehicle test weight update.

030186

E.O. # A-9-169

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X Light-Duty Trucks ____ Medium-Duty Vehicles ____ Gas X Diesel ____

Manufacturer CHRYSLER MOTORS CORPORATION Engine Family JCR2.5V5FBD5

Liter (CID) 2.2(135) & 2.5(152) Eng. Type IN LINE 4 SOHC

Emission Control Sys. (Special Features) TWC,HOS,EGR,(EFI),OBD

Engine Code	Vehicle Models (If Coded see attachment) SEE ATTACH. FOR (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System THROTTLE BODY Part No.	EGR Valve Part No.	Catalys Part No.
A-1 (2.2L)	PPL24,PDL24, PDH24,PPL44, PDL44,KPH21, KDH21,KPH41, KDH41,PPH24	A3	2875+	5227810 5233678* 5235400++	4288296 4307296 4459296**	4287176	4301716 4301718 4301728 4301732
	PPH44, PDH44,EJM41, EEM41,EJH41, EEH41,KCP41, KPH45,KDH45		3000				
	HDH44,HCH44		3125				
A-2 (2.5L)	KPH41,KDH41, KPH21,KDH21		2875	5233016 5233688*	4288297	4287175	
	PPH24,PDH24, PPH44,PDH44, EJM41,EEM41, EJH41,EEH41, KCP41,KPH45, KDH45		3000		4307297		
	JCH21, GVH24,HDH44, HCH44,HCP44, HDS44		3125+				
	KCP45,JCH27, JCP27,ETP41 JCP21		3250+				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 12-20-86

Revisions: 03-17-87: Correction of errata.
*04-03-87: R.C. 14, Revise ECU calibration.
**10-26-87: R.C. 45C, Release Optional Throttle Body & Fuel Injector Assembly.
+02-12-88: R.C. 82C, Production Vehicle Test Weight Update.
++04-24-89: FF28C. REVISE ECU CALIBRATION.

030186

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-9-169

Page 4

Passenger Cars X Light-Duty Trucks ____ Medium-Duty Vehicles ____ Gas X Diesel ____

Manufacturer CHRYSLER MOTORS CORPORATION Engine Family JCR2.5V5FBD5

Displacement (CID) 2.2(135) & 2.5(152) Eng. Type IN LINE 4 SOHC

Emission Control Sys. (Special Features) TWC,HOS,EGR,(EFI),OBD

Engine Code	Vehicle Models (If Coded see attachment) SEE ATTACH. FOR (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System THROTTLE BODY Part No.	EGR Valve Part No.	Catalyst Part No.
A-3 (2.5L)	CHD41,CDP41 CCH41	A3	3375+	5233014 5234044*** 5233272++	4288297 4307297	4287175	4301716 4301718 4301728 4301732
M-1* (2.2L)	LME44,LZE44 LMH24,LZH24	M5	2625 2750	5233568 5233684**	4288296 4307296	4287174	
A-1*	LMH24,LZH24, LME44,LZE44	A3	2625+	5227810 5233678**		4287176	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 12-20-86

Revisions: 03-17-87: Correction of errata.
03-18-87: Running Change 2C; addition of models.
**04-03-87: R.C. 14, Revise ECU calibration.
***07-02-87: R.C. 41, Revise ECU calibration.
+02-12-88: R.C. 82C, Production vehicle test weight update.

++04/30/88 Rev.date. P/N omitted in error during original E.O. sub

030186

E.O. # A-9-169

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars XX Light-Duty Trucks ____ Medium-Duty Vehicles ____ Gas XX Diesel ____

Manufacturer CHRYSLER MOTORS CORPORATION Engine Family JCR2.5V5FBD5

Liter (CID) 2.2 (135) & 2.5 (152) Eng. Type IN LINE 4 SOHC

Emission Control Sys. (Special Features) TWC,HOS,EGR,(EFI),OBD

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
A-4 (2.2L)	LMH24,LZH24,	A3	2750			4287176	
	LME44,LZE44		2625+	5234186			
	PPL24,PDL24, PDH24,PPL44, PDL44,KPH21, KDH21,KPH41, KDH41,PPH24		2875+	5235400++	4288296 4307296 4459296		4301716 4301718 3101728 4301732
	PPH44, PDH44,EJM41, EEM41,EJH41, EEH41,KCP41, KPH45,KDH45		3000				
	HDH44,HCH44		3125				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 11-11-87

Running Change 66C,
Revise ECU Calibration.

Revisions: +02-12-88: R.C. 82C - Production vehicle test weight update.
++04-24-89: FF28C. REVISE ECU CALIBRATION.

030186

1988 CHRYSLER CORPORATION VEHICLE DESCRIPTION CALIFORNIA

ENGINE FAMILY JCR2.5V5FBD5 DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM 3CL EGR TBI

PROJECTED SALES
EVAP FAMILY
EVAP CODE
JCRVB
A

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FBD

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	
						CURB WEIGHT								
M-1	M5	2.51	P165/80R13	TDCTADGDY	SBR	37.4	7.0	7.7	1578	2536	2875	2750	PPL24	5
		2.51	P165/80R13	TDCTADGDY	SBR	37.4	7.0	7.7	1577	2534	2875	2750	PDL24	4
		2.51	P165/80R13	TDCTADGDY	SBR	37.4	7.0	7.7						
M-1	M5	2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.9	8.7	1608	2598	2875	2750	PPH24	542
		2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.9	8.7	1602	2582	2875	2750	PDH24	254
		2.51	P205/50VR15	TPHTADGDY	SBR	38.0 $	7.6 $	8.3						
M-1	M5	2.51	P165/80R13	TDCTADGDY	SBR	37.4	7.0	7.7	1591	2575	2875	2750	PPL44	5
		2.51	P165/80R13	TDCTADGDY	SBR	37.4	7.0	7.7	1590	2573	2875	2750	PDL44	4
		2.51	P165/80R13	TDCTADGDY	SBR	37.4	7.0	7.7						
M-1	M5	2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.9	8.7	1620	2636	2875A	2750	PPH44	454
		2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.9	8.7	1614	2620	2875A	2750	PDH44	213
		2.51	P205/50VR15	TPHTADGDY	SBR	38.0	7.4	8.1						
M-1	M5	2.51	P185/70R14	TJATADGDY	SBR	36.1	7.4	8.1	1601	2504	2750A	2750	KPH21	23
		2.51	P185/70R14	TJATADGDY	SBR	36.1	7.4	8.1						
		2.51	P185/70R14	TJATADGDY	SBR	36.1	7.4	8.1						
M-1	M5	2.51	P185/70R14	TJATADGDY	SBR	36.1	7.5	8.2	1599	2501	2750	2750	KDH21	19
		2.51	P185/70R14	TJATADGDY	SBR	36.1	7.5	8.2						
		2.51	P185/70R14	TJATADGDY	SBR	36.1	7.5	8.2						
M-1	M5	2.51	P185/70R14	TJATADGDY	SBR	36.1	7.4	8.1	1603	2530	2875	2750	KPH41	182
		2.51	P185/70R14	TJATADGDY	SBR	36.1 $	7.4 $	8.1	1601	2527	2875	2750	KDH41	149
		2.51	P185/70R14	TJATADGDY	SBR	36.1 $	7.4 $	8.1						
M-1	M5	2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.4	8.1	1670	2746	3000	3000	HDH44	8
		2.51	P195/70R14	TKRTADGDY	SBR	35.3	6.5	7.1	1670	2744	3000	3000	HCH44	9
		2.51	P185/70R14	TJ1TADGDY	SBR	36.1 $	7.4 $	8.1						
M-1	M5	2.51	P185/70R14	TJATADGDY	SBR	36.1	7.0	7.7	1579	2642	3000	3000	KPH45	24
		2.51	P185/70R14	TJATADGDY	SBR	36.1 $	7.0 $	7.7	1577	2634	2875A	2750	KDH45	20
		2.51	P185/70R14	TJATADGDY	SBR	36.1 $	7.0 $	7.7						

ISSUE DATE: 6/23/86

REV 7/22/86
$10/ 9/86

10.-D 3300

ATTACHMENT TO SDS
PAGE 2 OF E.O. A-9-169

1988 CHRYSLER CORPORATION VEHICLE DESCRIPTION CALIFORNIA

ENGINE FAMILY JCR2.5V5FBD5 DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM 3CL EGR TBI

PROJECTED SALES
EVAP FAMILY
EVAP CODE
JCRVB
A

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FBD

ENGINE CODE	TRANS TYPE CODE	DATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	
M-2	M5	2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.9	8.7	1644	2629	2875A	2750	PPH24	151
		2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.9	8.7	1638	2613	2875A	2750	PDH24	182
		2.51	P205/50VR15	TPHTADGDY	SBR	38.0	7.4	8.1						
									1656	2667	3000	3000	PPH44	126
									1650	2651	3000	3000	PDH44	152
M-2	M5	2.51	P195/70R14	TKSTADGDY	SBR	35.3	6.3	6.9	1746	2795	3125	3000	JCH21	544
		2.51	P195/70R14	TKSTADGDY	SBR	35.3	6.3	6.9	1760	2838	3125	3000	JCP21	151
		2.51	P205/60HR15	TPXTADGDY	SBR	35.4	5.8	6.3						
M-2	M5	2.51	P195/70R14	TKSTADGDY	SBR	35.3	7.5	8.2	1769	2870	3125A	3000	JCH27	49
		2.51	P195/70R14	TKSTADGDY	SBR	35.3 $	7.5 $	8.2	1776	2878	3125A	3000	JCP27	27
		2.51	P205/60HR15	TPXTADGDY	SBR	35.4	6.6	7.3						
M-2	M5	2.51	P185/70R14	TJ1TADGDY	SBR	36.1	6.3	6.9	1717	2740	3000	3000	GVH24	1021
		2.51	P195/70R14	TKRTADGDY	SBR	35.3	5.7	6.2						
		2.51	P185/70R14	TJ1TADGDY	SBR	36.1	6.3	6.9						
M-2	M5	2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.3	8.0	1710	2781	3125	3000	HDH44	79
		2.51	P195/70R14	TKRTADGDY	SBR	35.3 $	6.3 $	6.9	1718	2773	3125	3000	HCH44	91
		2.51	P185/70R14	TJ1TADGDY	SBR	36.1	7.3	8.0						
M-2	M5	2.51	P195/70R14	TKRTADGDY	SBR	35.3	6.3	6.9	1709	2771	3125	3000	HCP44	6
		2.51	P195/70R14	TKRTADGDY	SBR	35.3 $	6.3 $	6.9	1743	2808	3125	3000	HDS44	9
		2.51	P205/60HR15	TPXTADGDY	SBR	35.4	6.3	6.9						

ISSUE DATE: 6/23/86

REV 8/ 5/86
$10/ 9/86

10.-D 3305

ATTACHMENT TO SDS
PAGE 2 OF E.O. A-9-169

1988 CHRYSLER CORPORATION VEHICLE DESCRIPTION CALIFORNIA

ENGINE FAMILY JCR2.5V5FH05 DISPLACEMENT 2.2L EXHAUST CONTROL SYSTEM 3CL EGR TBI

PROJECTED SALES
EVAP FAMILY
EVAP CODE
JCRVB
A

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FBD

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	
A-1	A3	2.78	P165/80R13	TDCTADGDY	SBR	41.4	7.0	7.7	1623	2577	2875	2750	PPL24	10
	$ CE,CN	2.78	P165/80R13	TDCTADGDY	SBR	41.4	7.0	7.7	1622	2575	2875	2750	PDL24	8
		3.02	P165/80R13	TDCTADGDY	SBR	45.0	7.0	7.7						
A-1	A3	2.78	P185/70R14	TJ1TADGDY	SBR	39.9	7.9	8.7	1653	2639	3000	3000	PPH24	2168
	$ CE,CN	2.78	P185/70R14	TJ1TADGDY	SBR	39.9	7.9	8.7	1647	2623	2875A	2750	PDH24	1018
		3.02	P205/50VR15	TPHTADGDY	SBR	45.8	7.4	8.1						
A-1	A3	2.78	P165/80R13	TDCTADGDY	SBR	41.4	6.9	7.6	1636	2616	2875A	2750	PPL44	10
	$ CE,CN	2.78	P165/80R13	TDCTADGDY	SBR	41.4	6.9	7.6	1635	2614	2875A	2750	PDL44	8
		3.02	P165/80R13	TDCTADGDY	SBR	45.0	6.9	7.6						
A-1	A3	2.78	P185/70R14	TJ1TADGDY	SBR	39.9	7.9	8.7	1665	2677	3000	3000	PPH44	1815
	$ CE,CN	2.78	P185/70R14	TJ1TADGDY	SBR	39.9	7.9	8.7	1659	2661	3000	3000	PDH44	852
		3.02	P205/50VR15	TPHTADGDY	SBR	45.8	7.4	8.1						
A-1	A3	3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.9	8.7	1693	2666	3000	3000	EJH41	71
	$ CE,CN	3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.9	8.7	1696	2671	3000	3000	EEH41	87
		3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.9	8.7						
									1696	2670	3000	3000	EJH41	16
									1699	2675	3000	3000	EEH41	23
A-1	A3	2.78	P185/70R14	TJATADGDY	SBR	39.9	7.4	8.1	1652	2565	2875	2750	KPH21	140
	$ CE,CN	2.78	P185/70R14	TJATADGDY	SBR	39.9	7.4	8.1	1650	2562	2875	2750	KDH21	114
		3.02	P185/70R14	TJATADGDY	SBR	43.4	7.4	8.1						
									1652	2587	2875	2750	KPH41	1242
									1650	2584	2875	2750	KDH41	1016
A-1	A3	3.02	P185/70R14	TJTTADGDY	SBR	43.4	8.2	9.0	1712	2720	3000	3000	KCP41	185
	$ CE,CN	3.02	P185/70R14	TJTTADGDY	SBR	43.4	8.2	9.0						
		3.02	P185/70R14	TJTTADGDY	SBR	43.4	8.2	9.0						
A-1	A3	3.02	P185/70R14	TJ1TADGDY	SBR	43.4	7.3	8.0	1716	2788	3125	3000	HDH44	61
	$ CE,CN	3.02	P195/70R14	TKRTADGDY	SBR	42.4	6.3	6.9	1716	2786	3125	3000	HCH44	50
		3.02	P185/70R14	TJ1TADGDY	SBR	43.4	7.3	8.0						
A-1	A3	3.02	P185/70R14	TJATADGDY	SBR	43.4	7.0	7.7	1628	2699	3000	3000	KPH45	91
	$ CE,CN	3.02	P185/70R14	TJATADGDY	SBR	43.4	7.0	7.7	1626	2691	3000	3000	KDH45	74
		3.02	P185/70R14	TJATADGDY	SBR	43.4	7.0	7.7						

ISSUE DATE: 6/23/86

REV 7/22/86
8/ 5/86
10/ 9/86
10/14/86
$ 11/06/86

10.-D 3310

ATTACHMENT TO SDS
PAGE 2 OF E.O. A-9-169

1988 CHRYSLER CORPORATION VEHICLE DESCRIPTION CALIFORNIA

ENGINE FAMILY JCR2.5V5FBDS DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM 3CL EGR TBI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FBD

PROJECTED SALES
EVAP FAMILY JCRVB
EVAP CODE A

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	
A-2	A3	3.02	P185/70R14	TJ1TADGDY	SBR	43.4	7.9	8.7	1689	2670	3000	3000	PPH24	604
	$ CL,CN	3.02	P185/70R14	TJ1TADGDY	SBR	43.4	7.9	8.7	1683	2654	3000	3000	PDH24	727
		3.02	P205/50VR15	TPHTADGDY	SBR	45.8	7.4	8.1						
									1701	2708	3000	3000	PPH44	506
									1695	2692	3000	3000	PDH44	609
A-2	A3	3.02	P195/70R14	TKSTADGDY	SBR	42.4	6.3	6.9	1790	2835	3125	3000	JCH21	4065
	$ CE,CN	3.02	P195/70R14	TKSTADGDY	SBR	42.4	6.3	6.9						
		3.02	P205/60HR15	TPXTADGDY	SBR	42.6	5.8	6.3						
A-2	A3	3.02	P195/70R14	TKSTADGDY	SBR	42.4	6.3	6.9	1804	2878	3125A	3000	JCP21	2072
	$ CE,CN	3.02	P195/70R14	TKSTADGDY	SBR	42.4	6.3	6.9						
		3.02	P205/60HR15	TPXTADGDY	SBR	42.6	5.7	6.2						
A-2	A3	3.02	P195/70R14	TKSTADGDY	SBR	42.4	7.5	8.2	1813	2910	3250	3000	JCH27	824
	$ CE,CN	3.02	P195/70R14	TKSTADGDY	SBR	42.4	7.5	8.2	1820	2918	3250	3000	JCP27	449
		3.02	P205/60HR15	TPXTADGDY	SBR	42.6	6.6	7.3						
A-2	A3	3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.9	8.7	1725	2697	3000	3000	EJH41	76
	$ CE,CN	3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.9	8.7	1728	2702	3000	3000	EEH41	87
		3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.9	8.7						
									1728	2701	3000	3000	EJH41	69
									1731	2706	3000	3000	EEH41	68
A-2	A3	3.02	P185/75R14	TJUTADGDY	SBR	42.1	8.0	8.8	1785	2892	3250	3000	ETP41	237
	$ CE,CN	3.02	P185/75R14	TJUTADGDY	SBR	42.1	8.0	8.8						
		3.02	P185/75R14	TJUTADGDY	SBR	42.1	8.0	8.8						
A-2	A3	3.02	P185/70R14	TJ1TADGDY	SBR	43.4	6.3	6.9	1760	2777	3125	3000	GVH24	1369
	$ CE,CN	3.02	P195/70R14	TKRTADGDY	SBR	42.4	5.6	6.2						
		3.02	P185/70R14	TJ1TADGDY	SBR	43.4	6.3	6.9						
A-2	A3	3.02	P185/70R14	TJATADGDY	SBR	43.4	7.4	8.1	1704	2615	2875	2750	KPH21	162
	$ CE,CN	3.02	P185/70R14	TJATADGDY	SBR	43.4	7.4	8.1	1702	2612	2875	2750	KDH21	133
		3.02	P185/70R14	TJATADGDY	SBR	43.4	7.4	8.1						
A-2	A3	3.02	P185/70R14	TJATADGDY	SBR	43.4	7.3	8.0	1708	2637	2875A	2750	KPH41	1007
	$ CE,CN	3.02	P185/70R14	TJATADGDY	SBR	43.4	7.3	8.0	1706	2634	2875A	2750	KDH41	824
		3.02	P185/70R14	TJATADGDY	SBR	43.4	7.3	8.0						

ISSUE DATE: 6/23/86

REV 7/22/86
8/ 5/86
10/ 9/86
10/14/86
$ 11/06/86

10.-D 3320

ATTACHMENT TO SDS
PAGE 2 OF E.O. A-9-169

1988 CHRYSLER CORPORATION VEHICLE DESCRIPTION CALIFORNIA

ENGINE FAMILY JCR2.5V5FB05 DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM 3CL EGR TBI

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FBD

PROJECTED SALES
EVAP FAMILY
EVAP CODE
JCRVB
A

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	A/C HP	CURB WEIGHT DRIVE AXLE	CURB WEIGHT TOTAL	TEST WT	INERT.	VEHICLE MODEL	
A-2	A3	3.02	P185/70R14	TJTTADGDY	SBR	43.4	8.1	8.9	1758	2760	3000A	3000	KCP41	270
	$ CE,CN	3.02	P185/70R14	TJTTADGDY	SBR	43.4	8.1	8.9						
		3.02	P185/70R14	TJTTADGDY	SBR	43.4	8.1	8.9						
A-2	A3	3.02	P185/70R14	TJ1TADGDY	SBR	43.4	7.3	8.0	1756	2823	3125	3000	HDH44	725
	$ CE,CN	3.02	P195/70R14	TKRTADGDY	SBR	42.4	6.3	6.9	1764	2815	3125	3000	HCH44	854
		3.02	P185/70R14	TJ1TADGDY	SBR	43.4	7.3	8.0						
A-2	A3	3.02	P195/70R14	TKRTADGDY	SBR	42.4	6.3	6.9	1755	2813	3125	3000	HCP44	73
	$ CE,CN	3.02	P195/70R14	TKRTADGDY	SBR	42.4	6.3	6.9	1789	2850	3125	3000	HDS44	50
		3.02	P205/60HR15	TPXTADGDY	SBR	42.6	6.3	6.9						
A-2	A3	3.02	P185/70R14	TJATADGDY	SBR	43.4	7.0	7.7	1679	2749	3000	3000	KPH45	291
	$ CE,CN	3.02	P185/70R14	TJATADGDY	SBR	43.4	7.0	7.7	1677	2741	3000	3000	KDH45	238
		3.02	P185/70R14	TJATADGDY	SBR	43.4	7.0	7.7						
A-2	A3	3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.7	8.5	1762	2907	3250	3000	KCP45	94
	$ CE,CN	3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.7	8.5						
		3.02	P185/70R14	TJTTADGDY	SBR	43.4	7.7	8.5						

ISSUE DATE: 6/23/86

REV 7/22/86
10/ 9/86
10/14/86
$ 11/06/86

10.-D 3325

ATTACHMENT TO SDS
PAGE 2 OF E.O. A-9-169

1988 CHRYSLER CORPORATION VEHICLE DESCRIPTION CALIFORNIA

ENGINE FAMILY JCR2.5V5FBD5 DISPLACEMENT 2.5L EXHAUST CONTROL SYSTEM 3CL EGR TBI

PROJECTED SALES
EVAP FAMILY
EVAP CODE
JCRVB
B

EVAPORATIVE CONTROL SYSTEM CANISTER CATALYST CODE FBD

ENGINE CODE	TRANS TYPE CODE	OATG STD MIN MAX	TIRES STD MIN MAX	TIRE TREAD SALES CODE	(TYPE)	N/V STD MIN MAX	ROAD LOAD HP	CURB WEIGHT A/C HP	DRIVE AXLE	TOTAL	TEST WT	INERT.	VEHICLE MODEL	
A-3	A3	3.02	P195/75R14	TKLTADGDY	SBR	41.2	7.4	8.1	1876	2986	3250A	3000	CDH41	699
	$ CE,CN	3.02	P195/75R14	TKLTADGDY	SBR	41.2	7.4	8.1	1934	3127	3375A	3500	CCH41	373
		3.02	P195/75R14	TKLTADGDY	SBR	41.2	7.4	8.1	1879	2999	3250A	3000	COP41	286

ISSUE DATE: 6/23/86

REV 8/ 5/86
10/ 9/86
$ 11/06/86

10.-D 3330

ATTACHMENT TO SDS
PAGE 2 OF E.O. A-9-169