State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-22-49
Relating to Certification of New Motor Vehicles

SAAB-SCANIA AB

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Saab-Scania AB emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LSA2.0V5FTE8 Displacement: 2.0 Liters (121 Inches^3)

Equipped with the following exhaust emission control systems:

Exhaust Gas Recirculation
Heated Oxygen Sensor
Multipoint Electronic Fuel Injection
Turbocharger
Three-Way Catalyst
No On-Board Diagnostic System (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
0.41	7.0	0.4

The following are the certification emission values for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
0.25	2.8	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 5th day of September, 1989.

K. D. Drachand, Chief
Mobile Source Division

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-22-49 Page 1

Manufacturer Saab Scania AB Eng. Family LSA2.0V5FTE8

Pass Cars X Lt-Duty Trucks___ Med-Duty Vehicles___ Gas X Diesel___

Eng. Type S.I. 4 cyl. in-line Liter (CID) 2.0 (121.1) Evap. Family L-900-5, L-9000-5

Emission Control Sys. (Use SAE Abbrv.) TWC, HO2S, EGR, MPI, TC

Engine: Front X Mid.___ Rear___ Drive: FWD X RWD___ 4WD-FT___ 4WD-PT___

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/~~PROM~~) Part No.	EGR Syst. Part No.	Catalyst Part No.
202L5BB	900 3-door	A & M	3250	6.9	91 19 462	87 88 721	75 33 540, 75 33 805 (alternate)
	900 4-door	A & M	3250	9.0	91 19 462	87 88 721	75 33 540, 75 33 805 (alternate)
	convertible	M	3250	8.4	91 19 462	87 88 721	75 33 549, 75 33 805 (alternate)
	convertible	A	3375	8.4	91 19 462	87 88 721	75 33 540, 75 33 805 (alternate)
202P5BB	900 SPG	M	3250	6.5	91 19 462	87 88 721	75 33 540, 75 33 805 (alternate)
202L6BD	9000 5-door	M	3375	7.5	87 87 079	87 88 721	93 92 457
	9000 5-door	A	3500	7.5	87 87 079	87 88 721	93 92 457
	9000 4-door	M	3375	7.5	87 87 079	87 88 721	93 92 457
	9000 4-door	A	3500	7.5	87 87 079	87 88 721	93 92 457
202P6BD	9000 5-door SPG	A & M	3500	6.8	87 87 079	87 88 721	93 92 457
	9000 4-door SPG	A & M	3500	6.8	87 87 079	87 88 721	93 92 457
*** NOTE: For	additional	part	numbers,				
see	section 20T1						

Date of Issue: July 15, 1989 Revisions: