State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-220
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Chrysler Corporation emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: MCR3.3T5FBRX Displacement: 3.3 Liters (201 Cubic Inches)

Exhaust emission control systems (Special Features):

Three-Way Catalyst
Heated Oxygen Sensor
Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Weight (lbs.	Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
3751-5750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Loaded Vehicle Weight (lbs.)	Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
3751-5750	0.25	2.3	0.4

BE IT FURTHER RESOLVED: That the listed models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 21st day of March, 1990.

K. D. Drachand, Chief
Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-9-220 Page 1

Manufacturer CHRYSLER CORPORATION Eng. Family MCR3.3T5FBRX

Pass Cars___ Lt-Duty Trucks X Med-Duty Vehicles___ Gas X Diesel___

Eng. Type SOHC V/6 Liter (CID) 3.3 (201) Evap. Family MCRTC & MCRTG

Emission Control Sys. (Use SAE Abbrv.) TWC, HO_2S, MPI

Engine: Front X Mid.___ Rear___ Drive: FWD X RWD___ 4WD-FT X 4WD-PT___

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
A-1 RHC: .50 GPM CO: 9.0 GPM NOx: 1.0 GPM A-3*	SKE13,SDE12	A40D	3750	SEE ATTACHMENT	5235213		4427566 4427353
	SHH52,SHP52, SKH52,SKP52, SHH53,SKH52, SDE13		4000				
	SHP53,SKP53, SPH52,SPH53, SPP52,SYP53, SPP53,SDH52, SDH53,SDP52, SDP53		4250				

*04-26-90: RC33, REVISE EATX CALIBRATION.

Date of Issue:_____ Revisions:

ATTACHMENT TO SDS PG. 1
OF EXECUTIVE ORDER A-9-220
ENGINE FAMILY MCR3.3T5FBRX

VEHICLE MODELS	CARLINE
SYP53	CHRYSLER TOWN & COUNTRY
SKE13,SKH52,SKH53, SKP52,SKP53,SDE12, SDE13,SDH52,SDH53, SDP52,SDP53	DODGE CARAVAN
SHH52,SHH53,SHP52, SHP53,SPH52,SPH53, SPP52,SPP53	PLYMOUTH VOYAGER

CHARACTER	1	2-MODEL	3-TRIM	4-USAGE	5-WB
	ALL S	Y=CHRYSLER K,D=DODGE H,P=PLYMOUTH	E=REGULAR H=SE P=LE	1=CARGO 5=PASS.	2=SHORT 3=LONG

ATTACHMENT TO SDS PG. 1
OF EXECUTIVE ORDER A-9-220
ENGINE FAMILY MCR3.3T5FBRX

TEST WEIGHT/HORSEPOWER

1991
MCR3.3T5FBRX

VEHICLE MODEL	ENGINE/	TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
ASKP52	EGA	DGL	4000	0	Y	STD	91	TKN	TAD	TZA	15.63	10.60	35	35
						OPT	91	TP1	TAD	TZA	14.70	9.30	35	35
						OPT	91	TP2	TAD	TZA	15.63	10.60	35	35
						OPT	91	TPU	TAD	TZA	15.63	10.60	35	35
						OPT	91	TPU	TAD	TZH	15.83	9.50	35	35
ASKP53	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	16.34	10.80	35	35
						OPT	91	TP1	TAD	TZA	15.31	9.50	35	35
						OPT	91	TP2	TAD	TZA	16.34	10.80	35	35
						OPT	91	TPU	TAD	TZH	16.55	9.60	35	35
ASPH52	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZH	14.46	12.10	35	35
						OPT	91	TPU	TAD	TZH	14.46	12.10	35	35
ASPH53	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZH	14.05	11.50	35	35
						OPT	91	TPU	TAD	TZH	14.05	11.50	35	35
ASPP52	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZH	14.05	11.50	35	35
						OPT	91	TPU	TAD	TZH	14.05	11.50	35	35
ASPP53	EGA	DGL	4500	0	Y	STD	91	TPU	TAD	TZA	15.10	12.50	35	35
						OPT	91	TP2	TAD	TZA	15.10	12.50	35	35
						OPT	91	TP2	TAD	TZH	14.64	11.90	35	35
						OPT	91	TPU	TAD	TZH	14.64	11.90	35	35
ASYP53	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	16.34	10.80	35	35
						OPT	91	TP2	TAD	TZA	16.34	10.80	35	35
						OPT	91	TP2	TAD	TZH	16.55	9.60	35	35
						OPT	91	TPU	TAD	TZH	16.55	9.60	35	35

TEST WEIGHT/HORSEPOWER

1991
MCR3.3T5FBRX

VEHICLE MODEL	ENGINE/	TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
ASDE12	EGA	DGL	3875	0	Y	STD	91	TPU	TAD	TZA	14.46	12.10	35	35
						OPT	91	TPU	TAD	TZH	14.05	11.50	35	35
ASDE13	EGA	DGL	4000	0	Y	STD	91	TPU	TAD	TZA	14.46	12.10	35	35
						OPT	91	TPU	TAD	TZH	14.05	11.50	35	35
ASDH52	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZH	14.05	11.50	35	35
						OPT	91	TPU	TAD	TZH	14.05	11.50	35	35
ASDH53	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZH	14.05	11.50	35	35
						OPT	91	TPU	TAD	TZH	14.05	11.50	35	35
ASDP52	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZA	14.46	12.10	35	35
						OPT	91	TP2	TAD	TZH	14.05	11.50	35	35
						OPT	91	TPU	TAD	TZH	14.05	11.50	35	35
ASDP53	EGA	DGL	4500	C	Y	STD	91	TPU	TAD	TZA	15.10	12.50	35	35
						OPT	91	TP2	TAD	TZA	15.10	12.50	35	35
						OPT	91	TP2	TAD	TZH	14.64	11.90	35	35
						OPT	91	TPU	TAD	TZH	14.64	11.90	35	35
ASHH52	EGA	DGL	4000	C	Y	STC	91	TKN	TAD	TZA	15.63	10.60	35	35
						OPT	91	TP2	TAD	TZA	15.63	10.60	35	35
						OPT	91	TPU	TAD	TZA	15.63	10.60	35	35
						OPT	91	TPU	TAD	TZH	15.83	9.50	35	35
ASHH53	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	16.34	10.80	35	35
						OPT	91	TP2	TAD	TZA	16.34	10.80	35	35
						OPT	91	TPU	TAD	TZH	16.55	9.60	35	35
ASHP52	EGA	DGL	4000	C	Y	STD	91	TKN	TAD	TZA	15.63	10.60	35	35
						OPT	91	TP2	TAD	TZA	15.63	10.60	35	35
						OPT	91	TP2	TAD	TZH	15.83	9.50	35	35
						OPT	91	TPU	TAD	TZA	15.63	10.60	35	35
						OPT	91	TPU	TAD	TZH	15.83	9.50	35	35
ASHP53	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	16.34	10.80	35	35
						OPT	91	TP2	TAD	TZA	16.34	10.80	35	35
						OPT	91	TPU	TAD	TZH	16.55	9.60	35	35
ASKE13	EGA	DGL	3750	0	Y	STD	91	TNO	TAD	TZA	14.44	9.40	35	35
ASKH52			4000	G	Y	STD	91	TKN	TAD	TZA	15.63	10.60	35	35
						OPT	91	TP1	TAD	TZA	14.70	9.30	35	35
						OPT	91	TP2	TAD	TZA	15.63	10.60	35	35
						OPT	91	TP2	TAD	TZH	15.83	9.50	35	35
						OPT	91	TPU	TAD	TZA	15.63	10.60	35	35
						OPT	91	TPU	TAD	TZH	15.83	9.50	35	35
ASKH53	EGA	DGL	4250	0	Y	STD	91	TPU	TAD	TZA	16.34	10.80	35	35
						OPT	91	TP1	TAD	TZA	15.31	9.50	35	35
						OPT	91	TP2	TAD	TZA	16.34	10.80	35	35
						OPT	91	TPU	TAD	TZH	16.55	9.60	35	35