State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-613
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Ford Motor Company exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: SFM5.8J8G1EB Displacement: 5.8 Liters (351 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converters (two)
Secondary Air Injection
Dual Heated Oxygen Sensors
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
5751-8500	50,000	0.39	5.0	1.1
	120,000	0.56	7.3	1.53

The certification exhaust emission values for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
5751-8500	50,000	0.16	1.8	0.2
	120,000	0.22	2.2	0.21

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2235) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 3rd day of August, 1994.

Norman Kaye for
R. B. Summerfield
Assistant Division Chief
Mobile Source Division

E.O.# A-10-613

1995 MODEL YEAR SUPPLEMENTAL DATA SHEET
EXHAUST/EVAPORATIVE SYSTEM & CALIFORNIA REQUIREMENTS
PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD MOTOR COMPANY Exhaust Engine Family: SFM5.8J8G1EB (S5.8J1E)

Engine Code Types: CA X 49S___ 50S___ Evaporative Emissions Family: SFM1065AYM0B

Exh Std: Tier-0___ Tier-1 X TLEV___ LEV___ ULEV___ ZEV___ EPA TIER-0___ TIER-1___

Evap Std: 50K X Useful Life with R/L___ In-Use Exh Std: Full In Use___ Alt In Use X

Veh Class(es): PC___ LDT1___ LDT2___ MDV1___ MDV2___ MDV3 X MDV4___ MDV5___

Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1,MDV1,MDV2,MDV3,MDV4)

Exh Cert Fuel(s): Indo X Ph2___ Diesel: 13 CCR 2282___ or 40CFR 86.113-90___ or -94___
M85___ CNG___ LPG___ Other (specicy)
Fuel Type(s): Dedicated___ Flex Fuel___ Dual-Fuel___
Gasoline X Diesel___ M85___, CNG___ LPG___ Other (specify)___
Hybrid: Type A___ B___ C___, APU Cycle (eg.., Otto, Diesel, Turbine)___

Engine Config V - 8 Displacement: 5.8L (351) Liters (Cubic Inches)
Valves/Cyl: 2 Rated HP: 210 @ 3600 RPM
Engine: Front X Mid___ Rear___ Drive: Fwd___ RWD X 4WD-FT___ 4WD-PT X

Exhaust Control System and Special Features TWC(2), AIR, 2HO2S, EGR, SFI
(Use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
576RR05N	E350 CWL 2WD	A	7500	*	F5TF-UB	F4TE-AA	F5UA-FB
576UR05N	E350 CWL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05A	E350 CWL 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576UR05A	E350 CWL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05N	E350 RVL 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576UR05N	E350 RVL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05A	E350 RVL 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576UR05A	E350 RVL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05N	E350 SVL 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576UR05N	E350 SVL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05A	E350 SVL 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576UR05A	E350 SVL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05N	E350 SWL 12P 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576RR05N	E350 SWL 15P 2WD	A	7500				
576UR05N	E350 SWL 12P 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576UR05N	E350 SWL 15P 2WD	A	7500				
576RR05A	E350 SWL 12P 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576RR05A	E350 SWL 15P 2WD	A	7500				
576UR05A	E350 SWL 12P 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576UR05A	E350 SWL 15P 2WD	A	7500				

* See page 20.09.17.02 - 4

Engine Family: S5.8J1E
Date Issued: 7-06-94
Revised:

E.O.# A-10-613

1995 MODEL YEAR SUPPLEMENTAL DATA SHEET
EXHAUST/EVAPORATIVE SYSTEM & CALIFORNIA REQUIREMENTS
PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD MOTOR COMPANY Exhaust Engine Family: SFM5.8J8G1EB (S5.8J1E)

Engine Code Types: CA X 49S___ 50S___ Evaporative Emissions Family: SFM1045AYM0B

Exh Std: Tier-0___ Tier-1 X TLEV___ LEV___ ULEV___ ZEV___ EPA TIER-0___ TIER-1___
Evap Std: 50K X Useful Life with R/L___ In-Use Exh Std: Full In Use___ Alt In Use X
Veh Class(es): PC___ LDT1___ LDT2___ MDV1___ MDV2___ MDV3 X MDV4___ MDV5___

Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1,MDV1,MDV2,MDV3,MDV4)

Exh Cert Fuel(s): Indo X Ph2___ Diesel: 13 CCR 2282___ or 40CFR 86.113-90___ or -94___
M85___ CNG___ LPG___ Other (specicy)
Fuel Type(s): Dedicated___ Flex Fuel___ Dual-Fuel___
Gasoline X Diesel___ M85___ CNG___ LPG___ Other (specify)___
Hybrid: Type A___ B___ C___, APU Cycle (eg.., Otto, Diesel, Turbine)___

Engine Config V - 8 Displacement: 5.8L (351) Liters (Cubic Inches)
Valves/Cyl: 2 Rated HP: 210 @ 3600 RPM
Engine: Front X Mid___ Rear___ Drive: Fwd___ RWD X 4WD-FT___ 4WD-PT X

Exhaust Control System and Special Features TWC(E), AIR,2HO2S, EGR, SFI
(Use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
576PR05N	F250 RKL 2WD	A	6500	*	F5TF-ACB	F4TE-AA	F5TA-DB
576TR05N	F250 RWL 2WD	A	6500		F5TF-AEB	F4TE-AA	F5TA-DB
576PR05A	F250 RKL 2WD	A	7000		F5TF-ACB	F4TE-AA	F5TA-DB
576TR05A	F250 RKL 2WD	A	7000		F5TF-AEB	F4TE-AA	F5TA-DB
576PR05N	F250 SKL 2WD	A	7000		F5TF-ACB	F4TE-AA	F5TA-DB
576TR05N	F250 SKL 2WD	A	7000		F5TF-AEB	F4TE-AA	F5TA-DB
576PR05A	F250 SKL 2WD	A	7000		F5TF-ACB	F4TE-AA	F5TA-DB
576TR05A	F250 SKL 2WD	A	7000		F5TF-AEB	F4TE-AA	F5TA-DB
576PR05N	F250 RKL 4WD	A	7000		F5TF-ACB	F4TE-AA	F5TA-DB
576TR05N	F250 RKL 4WD	A	7000		F5TF-AEB	F4TE-AA	F5TA-DB
576PR05A	F250 RKL 4WD	A	7000		F5TF-ACB	F4TE-AA	F5TA-DB
576TR05A	F250 RKL 4WD	A	7000		F5TF-AEB	F4TE-AA	F5TA-DB
576PR05N	F250 SKL 4WD	A	7000		F5TF-ACB	F4TE-AA	F5TA-DB
576TR05N	F250 SKL 4WD	A	7000		F5TF-AEB	F4TE-AA	F5TA-DB
576PR05A	F250 SKL 4WD	A	7000		F5TF-ACB	F4TE-AA	F5TA-DB
576TR05A	F250 SKL 4WD	A	7000		F5TF-AEB	F4TE-AA	F5TA-DB
576SR05N	F350 CREW SRW 2WD	A	7500		F5TF-ADB	F4TE-AA	F5TA-DB
576SR05N	F350 CREW DRW 2WD	A	8000				
576SR05A	F350 CREW SRW 2WD	A	7500				
576SR05A	F350 CREW DRW 2WD	A	8000				
576SR05N	F350 CREW DRW 2WD	A	7500				
576SR05A	F350 RKL DRW 2WD	A	7500				
576SR05N	F350 CREW SRW 4WD	A	7500				
576SR05A	F350 CREW SRW 4WD	A	7500				
576PR05N	F350 RKL 4WD	A	7000		F5TF-ACB	F4TE-AA	F5TA-DB
576TR05N	F350 RKL 4WD	A	7000		F5TF-AEB	F4TE-AA	F5TA-DB
576PR05A	F350 RKL 4WD	A	7000		F5TF-ACB	F4TE-AA	F5TA-DB
576TR05A	F350 RKL 4WD	A	7000		F5TF-AEB	F4TE-AA	F5TA-DB

* See page 20.09.17.02 - 4

Last Character in Engine Code:
N = no A/C
A = A/C

Vehicle Codes:
1st character:
R = regular
S = super
C = club
2nd character:
K = cab
V = van
W = wagon
3rd character:
S = short
L = long

Engine Family: S5.8J1E
Date Issued: 7-06-94
Revised:

E.O.#A-10-613

1995 MODEL YEAR SUPPLEMENTAL DATA SHEET
EXHAUST/EVAPORATIVE SYSTEM & CALIFORNIA REQUIREMENTS
PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD MOTOR COMPANY Exhaust Engine Family: SFM5.8J8G1EB (S5.8J1E)

Engine Code Types: CA X 49S___ 50S___ Evaporative Emissions Family: SFM1065AYM0B

Exh Std: Tier-0___ Tier-1 X TLEV___ LEV___ ULEV___ ZEV___ EPA TIER-0___ TIER-1___

Evap Std: 50K X Useful Life with R/L___ In-Use Exh Std: Full In Use___ Alt In Use X

Veh Class(es): PC___ LDT1___ LDT2___ MDV1___ MDV2___ MDV3 X MDV4___ MDV5___

Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1,MDV1,MDV2,MDV3,MDV4)

Exh Cert Fuel(s): Indo X Ph2___ Diesel: 13 CCR 2282___ or 40CFR 86.113-90___ or -94___
M85___ CNG___ LPG___ Other (specicy)
Fuel Type(s): Dedicated___ Flex Fuel___ Dual-Fuel___
Gasoline X Diesel___ M85___ CNG___ LPG___ Other (specify)___
Hybrid: Type A___ B___ C___, APU Cycle (eg.., Otto, Diesel, Turbine)___

Engine Config V - 8 Displacement: 5.8L (351) Liters (Cubic Inches)
Valves/Cyl: 2 Rated HP: 210 @ 3600 RPM
Engine: Front X Mid___ Rear___ Drive: Fwd___ RWD X 4WD-FT___ 4WD-PT X

Exhaust Control System and Special Features TWC(2), AIR,2HO2S, EGR, SFI
(Use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
576RR05N	E350 CWL 2WD	A	7500	*	F5TF-UB	F4TE-AA	F5UA-FB
576UR05N	E350 CWL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05A	E350 CWL 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576UR05A	E350 CWL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05N	E350 RVL 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576UR05N	E350 RVL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05A	E350 RVL 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576UR05A	E350 RVL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05N	E350 SVL 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576UR05N	E350 SVL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05A	E350 SVL 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576UR05A	E350 SVL 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576RR05N	E350 SWL 12P 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576RR05N	E350 SWL 15P 2WD	A	7500				
576UR05N	E350 SWL 12P 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576UR05N	E350 SWL 15P 2WD	A	7500				
576RR05A	E350 SWL 12P 2WD	A	7500		F5TF-UB	F4TE-AA	F5UA-FB
576RR05A	E350 SWL 15P 2WD	A	7500				
576UR05A	E350 SWL 12P 2WD	A	7500		F5TF-RB	F4TE-AA	F5UA-FB
576UR05A	E350 SWL 15P 2WD	A	7500				

* See page 20.09.17.02 - 4

Last Character in Engine Code:
N = no A/C
A = A/C

Vehicle Codes:
1st character:
R = regular
S = super
C = club
2nd character:
K = cab
V = van
W = wagon
3rd character:
S = short
L = long

Engine Family: S5.8J1E
Date Issued: 7-06-94
Revised:

E.O.# A-10-613

1995 MODEL YEAR CERTIFICATION REVIEW SHEET
EXHAUST/EVAPORATIVE SYSTEM & CALIFORNIA REQUIREMENTS
PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD MOTOR COMPANY Exhaust Engine Family: SFM5.8J8G1EB (S5.8J1E)

Engine Code Types: CA X 49S___ 50S___ Evaporative Emissions Family: SFM1065AYM0B

Exh Std: Tier-0___ Tier-1 X TLEV___ LEV___ ULEV___ ZEV___ EPA TIER-0___ TIER-1___

Evap Std: 50K X Useful Life with R/L___ In-Use Exh Std: Full In Use___ Alt In Use___

Veh Class(es): PC___ LDT1___ LDT2___ MDV1___ MDV2___ MDV3 X MDV4___ MDV5___

Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1,MDV1,MDV2,MDV3,MDV4)

Exh Cert Fuel(s): Indo X Ph2___ Diesel: 13 CCR 2282___ or 40CFR 86.113-90___ or -94___
M85___ CNG___ LPG___ Other (specicy)
Fuel Type(s): Dedicated___ Flex Fuel___ Dual-Fuel___
Gasoline X Diesel___ M85___ CNG___ LPG___ Other (specify)___
Hybrid: Type A___ B___ C___, APU Cycle (eg.., Otto, Diesel, Turbine)___

Engine Config V - 8 Displacement: 5.8L (351) Liters (Cubic Inches)
Valves/Cyl: 2 Rated HP: 210 @ 3600 RPM
Engine: Front X Mid___ Rear___ Drive: Fwd___ RWD X 4WD-FT___ 4WD-PT X

Exhaust Control System and Special Features TWC(2), AIR, 2HO2S, EGR, SFI
(Use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
564RR10N	E150 RVL-RV 2WD	A	6000	*	F5TF-TB	F4TE-AA	F5UA-FB
564RR10N	E150 RVL 2WD	A	6000				
564RR10A	E150 RVL-RV 2WD	A	6000				
564RR10A	E150 RVL 2WD	A	6000				
564RR10N	E150 CWL 2WD	A	6500				
564RR10A	E150 CWS 2WD	A	6500				
564RR10N	E250 RVL 2WD	A	6000		F5TF-TB	F4TE-AA	F5UA-FB
564RR10N	E250 RVL-RV 2WD	A	6500				
576UR10N	E250 RVL 2WD	A	7000		F5TF-RC	F4TE-AA	F5UA-FB
564RR10A	E250 RVL 2WD	A	6000		F5TF-TB	F4TE-AA	F5UA-FB
576UR10A	E250 RVL 2WD	A	7000		F5TF-RC	F4TE-AA	F5UA-FB
564RR10N	E250 SVL 2WD	A	6500		F5TF-TB	F4TE-AA	F5UA-FB
564RR10N	E250 SVL-RV 2WD	A	6500				
576UR10N	E250 SVL 2WD	A	7000		F5TF-RC	F4TE-AA	F5UA-FB
564RR10A	E250 SVL 2WD	A	6500		F5TF-TB	F4TE-AA	F5UA-FB
576UR10A	E250 SVL 2WD	A	7000		F5TF-RC	F4TE-AA	F5UA-FB

* See page 20.09.17.02 - 4

Engine Family: S5.8J1E

Date Issued: AUG 05 1994
Revised:

E.O.# A-10-613

1995 MODEL YEAR CERTIFICATION REVIEW SHEET
EXHAUST/EVAPORATIVE SYSTEM & CALIFORNIA REQUIREMENTS
PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD MOTOR COMPANY Exhaust Engine Family: SFM5.8J8G1EB (S5.8J1E)

Engine Code Types: CA X 49S___ 50S___ Evaporative Emissions Family: SFM1065AYM0B

Exh Std: Tier-0___ Tier-1 X TLEV___ LEV___ ULEV___ ZEV___ EPA TIER-0___ TIER-1___

Evap Std: 50K X Useful Life with R/L___ In-Use Exh Std: Full In Use___ Alt In Use___

Veh Class(es): PC___ LDT1___ LDT2___ MDV1___ MDV2___ MDV3 X MDV4___ MDV5___

Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1,MDV1,MDV2,MDV3,MDV4)

Exh Cert Fuel(s): Indo X Ph2___ Diesel: 13 CCR 2282___ or 40CFR 86.113-90___ or -94___
M85___ CNG___ LPG___ Other (specicy)

Fuel Type(s): Dedicated___ Flex Fuel___ Dual-Fuel___
Gasoline X Diesel___ M85___ CNG___ LPG___ Other (specify)___

Hybrid: Type A___ B___ C___, APU Cycle (eg.., Otto, Diesel, Turbine)___

Engine Config V - 8 Displacement: 5.8L (351) Liters (Cubic Inches)
Valves/Cyl: 2 Rated HP: 210 @ 3600 RPM
Engine: Front X Mid___ Rear___ Drive: Fwd___ RWD X 4WD-FT___ 4WD-PT X

Exhaust Control System and Special Features TWC(2), AIR,2HO2S, EGR, SFI
(Use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
576RR10N	E350 CWL 2WD	A	7500	*	F5TF-UC	F4TE-AA	F5UA-FB
576UR10N	E350 CWL 2WD	A	7500		F5TF-RC	F4TE-AA	F5UA-FB
576RR10A	E350 CWL 2WD	A	7500		F5TF-UC	F4TE-AA	F5UA-FB
576UR10A	E350 CWL 2WD	A	7500		F5TF-RC	F4TE-AA	F5UA-FB
576RR10N	E350 RVL 2WD	A	7500		F5TF-UC	F4TE-AA	F5UA-FB
576UR10N	E350 RVL 2WD	A	7500		F5TF-RC	F4TE-AA	F5UA-FB
576RR10A	E350 RVL 2WD	A	7500		F5TF-UC	F4TE-AA	F5UA-FB
576UR10A	E350 RVL 2WD	A	7500		F5TF-RC	F4TE-AA	F5UA-FB
576RR10N	E350 SVL 2WD	A	7500		F5TF-UC	F4TE-AA	F5UA-FB
576UR10N	E350 SVL 2WD	A	7500		F5TF-RC	F4TE-AA	F5UA-FB
576RR10A	E350 SVL 2WD	A	7500		F5TF-UC	F4TE-AA	F5UA-FB
576UR10A	E350 SVL 2WD	A	7500		F5TF-RC	F4TE-AA	F5UA-FB
576RR10N	E350 SWL 12P 2WD	A	7500		F5TF-UC	F4TE-AA	F5UA-FB
576RR10N	E350 SWL 15P 2WD	A	7500				
576UR10N	E350 SWL 12P 2WD	A	7500		F5TF-RC	F4TE-AA	F5UA-FB
576UR10N	E350 SWL 15P 2WD	A	7500				
576RR10A	E350 SWL 12P 2WD	A	7500		F5TF-UC	F4TE-AA	F5UA-FB
576RR10A	E350 SWL 15P 2WD	A	7500				
576UR10A	E350 SWL 12P 2WD	A	7500		F5TF-RC	F4TE-AA	F5UA-FB
576UR10A	E350 SWL 15P 2WD	A	7500				

* See page 20.09.17.02 - 4

E.O.# A-10-613

1995 MODEL YEAR CERTIFICATION REVIEW SHEET
EXHAUST/EVAPORATIVE SYSTEM & CALIFORNIA REQUIREMENTS
PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD MOTOR COMPANY Exhaust Engine Family: SFM5.8J8G1EB (S5.8J1E)

Engine Code Types: CA X 49S___ 50S___ Evaporative Emissions Family: SFM1045AYM0B

Exh Std: Tier-0___ Tier-1 X TLEV___ LEV___ ULEV___ ZEV___ EPA TIER-0___ TIER-1___
Evap Std: 50K X Useful Life with R/L___ In-Use Exh Std: Full In Use___ Alt In Use___
Veh Class(es): PC___ LDT1___ LDT2___ MDV1___ MDV2___ MDV3 X MDV4___ MDV5___

Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1,MDV1,MDV2,MDV3,MDV4)

Exh Cert Fuel(s): Indo X Ph2___ Diesel: 13 CCR 2282___ or 40CFR 86.113-90___ or -94___
M85___ CNG___ LPG___ Other (specicy)
Fuel Type(s): Dedicated___ Flex Fuel___ Dual-Fuel___
Gasoline X Diesel___ M85___ CNG___ LPG___ Other (specify)___
Hybrid: Type A___ B___ C___, APU Cycle (eg.., Otto, Diesel, Turbine)___

Engine Config V - 8 Displacement: 5.8L (351) Liters (Cubic Inches)
Valves/Cyl: 2 Rated HP: 210 @ 3600 RPM
Engine: Front X Mid___ Rear___ Drive: Fwd___ RWD X 4WD-FT___ 4WD-PT X

Exhaust Control System and Special Features TWC(2), AIR, 2-HO2S, EGR, SFI
(Use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
576PR10N	F250 RKL 2WD	A	6500	*	F5TF-ACC	F4TE-AA	F5TA-DB
576TR10N	F250 RWL 2WD	A	6500		F5TF-AEC	F4TE-AA	F5TA-DB
576PR10A	F250 RKL 2WD	A	7000		F5TF-ACC	F4TE-AA	F5TA-DB
576TR10A	F250 RKL 2WD	A	7000		F5TF-AEC	F4TE-AA	F5TA-DB
576PR10N	F250 SKL 2WD	A	7000		F5TF-ACC	F4TE-AA	F5TA-DB
576TR10N	F250 SKL 2WD	A	7000		F5TF-AEC	F4TE-AA	F5TA-DB
576PR10A	F250 SKL 2WD	A	7000		F5TF-ACC	F4TE-AA	F5TA-DB
576TR10A	F250 SKL 2WD	A	7000		F5TF-AEC	F4TE-AA	F5TA-DB
576PR10N	F250 RKL 4WD	A	7000		F5TF-ACC	F4TE-AA	F5TA-DB
576TR10N	F250 RKL 4WD	A	7000		F5TF-AEC	F4TE-AA	F5TA-DB
576PR10A	F250 RKL 4WD	A	7000		F5TF-ACC	F4TE-AA	F5TA-DB
576TR10A	F250 RKL 4WD	A	7000		F5TF-AEC	F4TE-AA	F5TA-DB
576PR10N	F250 SKL 4WD	A	7000		F5TF-ACC	F4TE-AA	F5TA-DB
576TR10N	F250 SKL 4WD	A	7000		F5TF-AEC	F4TE-AA	F5TA-DB
576PR10A	F250 SKL 4WD	A	7000		F5TF-ACC	F4TE-AA	F5TA-DB
576TR10A	F250 SKL 4WD	A	7000		F5TF-AEC	F4TE-AA	F5TA-DB
576SR10N	F350 CREW SRW 2WD	A	7500		F5TF-ADC	F4TE-AA	F5TA-DB
576SR10N	F350 CREW DRW 2WD	A	8000				
576SR10A	F350 CREW SRW 2WD	A	7500				
576SR10A	F350 CREW DRW 2WD	A	8000				
576SR10N	F350 CREW DRW 2WD	A	7500				
576SR10A	F350 RKL DRW 2WD	A	7500				
576SR10N	F350 CREW SRW 4WD	A	7500				
576SR10A	F350 CREW SRW 4WD	A	7500				
576PR10N	F350 RKL 4WD	A	7000		F5TF-ACC	F4TE-AA	F5TA-DB
576TR10N	F350 RKL 4WD	A	7000		F5TF-AEC	F4TE-AA	F5TA-DB
576PR10A	F350 RKL 4WD	A	7000		F5TF-ACC	F4TE-AA	F5TA-DB
576TR10A	F350 RKL 4WD	A	7000		F5TF-AEC	F4TE-AA	F5TA-DB

* See page 20.09.17.02 - 4

Engine Family: S5.8J1E
Date Issued: AUG 05 1994
Revised:

SUPPLEMENTAL DATA SHEET

E.O.#A-10-613

1995 DPA CHART

VEHICLE LINE	ETW LIMIT	NON A/C CDT(Sec)	NON A/C Code	NON A/C DPA(HP)	NON A/C TRLHP(HP)	A/C CDT(Sec)	A/C CODE	A/C DPA(HP)	A/C TRLHP(HP)
		OVER 6000# ETW OR OVER 8500# GVW							
F-SERIES (HD)									
. F-250 4X2 HD	5250	-----	(CB)	20.0	-----	-----	(CB)	21.5	-----
	6500								
	7000	Coastdown tested completed 4/5/94, awaiting certified DPA's by AEFEO.							
	7500								
. F-250 4X4 HD	5000	13.16	(C)	16.9	23.42	12.56	(C)	18.3	24.54
	5500	-----	(CB)	20.0	-----	-----	(CB)	21.5	-----
	6500								
	7000	Coastdown tested completed 2/21/94, awaiting certified DPA's by AEFEO							
	7500								
. F-350 4X2 SRW	5500	-----	(CB)	20.0	-----	-----	(CB)	21.5	-----
. F-350 4X2 DRW	6000	-----	(CB)	22.0	-----	-----	(CB)	23.5	-----
	7500	16.57	(C)	16.0	27.90	18.01	(C)	17.4	25.67
	8000	17.40	(C)	17.9	28.34	16.64	(C)	19.3	29.64
. F350 4X2 SRW CC	6000	13.16	(C)	22.7	28.10	12.49	(C)	24.1	29.61
	46.2 SQ.FT.								
. F-350 4X2 DRW CC	7000	9.34	(C)	32.4	46.20	9.07	(C)	33.8	47.57
	84.4 SQ.FT.								
	8000	12.41	(C)	24.18	39.74	11.99	(C)	25.58	41.13
	9000	To Be Certified in 1994-95 for 1996 Model Year							
	50.4 SQ.FT.	12.87	(C)	26.58	38.32	12.30	(C)	27.98	40.09
. F-350 4X4 SRW	6000	-----	(CB)	20.0	-----	-----	(CB)	21.5	-----
	6500								
	7000	Coastdown tested completed 3/21/94, awaiting certified DPA's by AEFEO							
(ALL TRANS)	7500								
		OVER 6000# ETW OR OVER 8500# GVW							
E-SERIES (HD)									
. ECON. E-250 SWL	6000	15.69	(C)	16.48	23.57	14.86	(C)	17.88	24.89
	6000	-----	(CB)	19.58	-----	-----	(CB)	21.08	-----
. ECON. E-250 CWL	6000	-----	(CB)	19.5	-----	-----	(CB)	21.0	-----
. ECON. E-350 SWL	6000	-----	(CB)	20.0	-----	-----	(CB)	21.5	-----
	7000								
	7500	18.77	(C)	16.1	24.63	17.8	(C)	17.5	25.97
	8000								
. ECONOLINE E-350 CA/BC SRW/DRW	7000	10.03	(C)	33	43.02	9.71	(C)	34.4	44.44
	77.9 SQ.FT.								
(ALL TRANS)									
STRIPPED CHASSIS (ALL TRANS)	6000	-----	(CB)	26.5	-----	-----	(CB)	27.9	-----
	6800	-----	(CB)	26.5	-----	-----	(CB)	27.9	-----
	53 SQ.FT.								

(E) = ESTIMATED
(C) = CERTIFICATION TEST POINT
(CB) = ESTIMATED COOKBOOK DATA
TBD = NEW VEHICLE PROGRAM - NOT CERTIFIED TO DATE.
* = Indicates Sub Heading
(REG) = REGRESSED CDT
(ADJ) = DPA ADJUST (HIGHER THAN CERT DPA
(MA) = MASS ADJUSTED CDT

Vehicles >6000 ETW have DPA determined by Special Test Procedure.