file

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-322
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Chrysler Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: TCR239H8G1EK Displacement: 3.9 Liters (239 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensors (two)
Three Way Catalytic Converter
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
3751-5750	50,000	0.32	4.4	0.7	12.5
	120,000	0.46	6.4	0.98	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
3751-5750	50,000	0.26	3.2	0.6	8.7
	120,000	0.32	4.3	0.83	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 6 day of July 1995.

Peter Henderson for
R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1996 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Chrysler Corporation Exh Eng Fam: TCR239H8G1EK Evap Fam: TCR1073AYP0A

Eng Codes in Eng Fam: CA X 49S ____ 50S ____ AB965 ____

Exh Std: CA Tier-1 X TLEV ____ LEV ____ ULEV ____ ZEV ____; US EPA Tier-1 ____

Evap Std: 50K X Useful Life with R/L ____ In-Use Exh Std: Full In Use ____ Alt In Use X

Veh Class(es): PC ____ LDT1 ____ LDT2 ____ MDV1 ____ MDV2 X MDV3 X MDV4 ____ MDV5 ____

Single Cert Std for Multi-Class Eng Fam: MDV2 (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated X Flex-Fuel ____ Dual-Fuel ____ Bi-Level ____ Gasoline X Diesel ____
CNG ____ LNG ____ LPG ____ M85 ____ Other (specify) ____

Emis Test Fuel(s): Indo ____ Ph2 X CNG ____ LPG ____ M85 ____ Other(specify) ____
Diesel: 13 CCR 2282 ____ or 40 CFR 86.113-90 ____ or 40 CFR 86.113-94 ____

Service Accum: Std AMA ____ Mod AMA X Mfr ADP ____ Other (Specify) ____

NMOG Test Procedure: N/A X Std ____ Equiv ____ R/L Test Proce: SHED ____ Pt Source ____

Hybrid: Type A ____ B ____ C ____, APU Cycle (e.g., Otto, Diesel, Turbine) ____

Engine Configuration: V-6 Displacement: / 3.9 Liters / 239 Cubic Inches

Valves per Cylinder: 2 Rated HP: 180 @ 4800 RPM

Engine: Front X Mid ____ Rear ____ Drive: FWD ____ RWD X 4WD-FT ____ 4WD-PT ____

Exhaust ECS (eg., EGR, MFI, TC, CAC): HO2S(2), TWC, SFI,
(use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100 (CA)	AB2L11 AB2L12	A3	4500	SEE ATTACHMENT	056031102	--	052020284
	AB1L51 AB2L13 AB3L12 AB3L13		4750				
	AB2L11 AB2L12 AB2L52		5000				
	AB2L12		5250				
	AB2L12 AB2L13 AB2L52		5500				
	AB3L12 AB3L13		6000				

Date Issued: 6/6/95

Revisions: ____

TF04-SDS/96

1996 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES
(cont'd)

nufacturer: Chrysler Corporation Exh Eng Fam: TCR239H8G1EK Evap Fam: TCR1073AYP0A

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-200 (CA)	BR1L61	A4	4500	SEE ATTACHMENT	056031660	--	052019292
	BR1L62		4750				
	BR1L62		5000				
	BR1L61 BR1L62		5250				
CA-250 (CA)	BR1L61 BR1L62		4500				
	BR1L61		5000				
	BR1L61 BR1L62		5250				
CA-300 (CA)	AN1L61		3875		056031653	--	052019280
	AN1L62		4000				
	AN1L61		4750				
	AN1L62		5000				
CM-100 (CA)	AN1L61	M5	3875		056031651	--	
	AN1L62		4000				
	AN1L61		4750				
	AN1L62		5000				

ce Issued: 6/6/95

Revisions:

TF04-SDS/96

1996 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES
(cont'd)

nufacturer: Chrysler Corporation Exh Eng Fam: TCR239H8G1EK Evap Fam: TCR1073AYP01

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CM-200 (CA)	BR1L61	M5	4500	SEE ATTACHMENT	56031659	--	052019292
	BR1L62		4750				
	BR1L61		5000				
	BR1L61 BR1L62		5250				
CM-250 (CA)	BR1L61 BR1L62		4500		056031659	--	052019292
	BR1L61		5000				
	BR1L61 BR1L62		5250				

ce Issued: 6/6/95

Revisions:

TF04-SDS/96

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: TCR239H8G1EK
Evaporative Fam: TCR1073AYPDA

Certificate #:

Model ID	Car Line	California Sales
AN1L61	Dakota Pickup 2WD	YES
AN1L62	Dakota Pickup 2WD	YES
BR1L61	Ram 1500 Pickup 2WD	YES
BR1L62	Ram 1500 Pickup 2WD	YES
AB2L11	Ram Van 2500 2WD	YES
AB2L12	Ram Van 2500 2WD	YES
AB2L13	Ram Van 2500 2WD	YES
AB3L12	Ram Van 3500 2WD	YES
AB3L13	Ram Van 3500 2WD	YES
AB1L51	Ram Wagon 1500 2WD	YES
AB2L52	Ram Wagon 2500 2WD	YES

Model Codes
BR 2 L 62

--- 1st digit: 3=Club Cab, 5=Regular Cab
2nd digit: 1=119" or 139" wb; 2=135" or 155" wb; 3=139" wb Chassis Cab; 4=163" wb Chassis Cab

------ Price Class
L=Covers all trim levels
C=Chassis Cab

-------- Model:
1=1500 5=1500 4X4
2=2500 7=2500 4X4
3=3500 8=3500 4X4

---------- Body Code:
Ram Pickup
Ram Club Cab
Ram Chassis Cab

Model Codes
AB 1 L 11

--- 1st digit: 1=Van, 5=Wagon
2nd digit: 1=109.6" wb; 2=127.6" wb; 3=127.6" maxi wb

------ Price Class

-------- Model:
1=B1500
2=B2500
3=B3500

---------- Body Code:
Vans
Wagons

Model Codes
AN 1 L 31

--- 1st digit: 3=Club Cab, 5=Regular Cab
2nd digit: 1=119" or 130.9" wb; 2=123.9" wb

------ Price Class

-------- Model:
1=2 wheel drive
5=4 wheel drive

---------- Body Code:
Dakota Pickup

1996 Chrysler Corporation

TCR233H8G1EK FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
AB1L51	EHC DGG RW	4750	6010	Y	STD	96	TSC	TAD	TZA	13.65	15.90	35	35
					OPT	96	TSC	TAD	TZH	13.97	15.40	35	35
					OPT	96	TSD	TAD	TZA	13.65	15.90	35	35
					OPT	96	TSD	TAD	TZH	13.97	15.40	35	35
					OPT	96	TSF	TAD	TZA	13.65	15.90	35	35
					OPT	96	TSF	TAD	TZH	13.97	15.40	35	35
					OPT	96	TW9	TAD	TZA	12.24	15.00	35	35
					OPT	96	TW9	TAD	TZH	12.68	15.10	35	35
AB2L11	EHC DGG RW	4500	6010	Y	STD	96	TRE	TAD	TZA	13.68	16.10	35	35
					OPT	96	TRF	TAD	TZA	13.68	16.10	35	35
					OPT	96	TSC	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSC	TAD	TZH	13.52	15.80	35	35
					OPT	96	TSD	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSD	TAD	TZH	13.52	15.80	35	35
					OPT	96	TSF	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSF	TAD	TZH	13.52	15.80	35	35
					OPT	96	TW9	TAD	TZA	12.95	15.00	35	35
					OPT	96	TW9	TAD	TZH	13.41	15.10	35	35
AB2L12	EHC DGG RW	4500	6010	Y	STD	96	TRE	TAD	TZA	13.68	16.10	35	35
					OPT	96	TRF	TAD	TZA	13.68	16.10	35	35
					OPT	96	TSC	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSC	TAD	TZH	13.52	15.80	35	35
					OPT	96	TSD	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSD	TAD	TZH	13.52	15.80	35	35
					OPT	96	TSF	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSF	TAD	TZH	13.52	15.80	35	35
					OPT	96	TW9	TAD	TZA	12.95	15.00	35	35
					OPT	96	TW9	TAD	TZH	13.41	15.10	35	35
AB2L12	EHC DGG RW	4500	6400	Y	STD	96	TSC	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSC	TAD	TZH	13.52	15.80	35	35
					OPT	96	TSD	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSD	TAD	TZH	13.52	15.80	35	35
					OPT	96	TSF	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSF	TAD	TZH	13.52	15.80	35	35
					OPT	96	TW9	TAD	TZA	12.95	15.00	35	35
					OPT	96	TW9	TAD	TZH	13.41	15.10	35	35
AB2L12	EHC DGG RW	4500	6800	Y	STD	96	TSC	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSC	TAD	TZH	13.52	15.80	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TF04 - 400 /

Report Date: 04/08/95
Time: 11:10:43

TCR239M8G1EK FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
					OPT	96	TSD	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSD	TAD	TZH	13.52	15.80	35	35
					OPT	96	TSF	TAD	TZA	13.27	16.20	35	35
					OPT	96	TSF	TAD	TZH	13.52	15.80	35	35
					OPT	96	TW9	TAD	TZA	12.95	15.00	35	35
					OPT	96	TW9	TAD	TZH	13.41	15.10	35	35
AB2L13	EHC DGG RW	4750	6400	Y	STD	96	TSC	TAD	TZA	13.85	15.90	35	35
					OPT	96	TSC	TAD	TZH	13.97	15.40	35	35
					OPT	96	TSD	TAD	TZA	13.85	15.90	35	35
					OPT	96	TSD	TAD	TZH	13.97	15.40	35	35
					OPT	96	TSF	TAD	TZA	13.85	15.90	35	35
					OPT	96	TSF	TAD	TZH	13.97	15.40	35	35
					OPT	96	TW9	TAD	TZA	12.24	15.00	35	35
					OPT	96	TW9	TAD	TZH	12.68	15.10	35	35
AB2L52	EHC DGG RW	5000	6400	Y	STD	96	TSC	TAD	TZA	14.23	16.10	35	35
					OPT	96	TSC	TAD	TZH	14.60	15.50	35	35
					OPT	96	TSD	TAD	TZA	14.23	16.10	35	35
					OPT	96	TSD	TAD	TZH	14.60	15.50	35	35
					OPT	96	TSF	TAD	TZA	14.23	16.10	35	35
					OPT	96	TSF	TAD	TZH	14.60	15.50	35	35
					OPT	96	TW9	TAD	TZA	13.91	14.60	35	35
					OPT	96	TW9	TAD	TZH	14.39	14.90	35	35
AB3L12	EHC DGG RW	4750	7500	Y	STD	96	TWP	TAD	TZH	13.12	16.70	40	40
					OPT	96	TVG	TAD	TZH	13.12	16.70	40	40
					OPT	96	TWR	TAD	TZH	13.12	16.70	40	40
AB3L13	EHC DGG RW	4750	7500	Y	STD	96	TWP	TAD	TZH	13.12	16.70	40	40
					OPT	96	TVG	TAD	TZH	13.12	16.70	40	45
					OPT	96	TWR	TAD	TZH	13.12	16.70	40	45
AM1L61	EHC DGQ RA	3875	6060	Y	STD	96	TWK	TAD	TZH	13.73	12.90	30	35
	EHC DGK RW	3875	6060	Y	STD	96	TWK	TAD	TZH	13.15	13.10	30	35
AM1L62	EHC DGQ RA	4000	6150	Y	STD	96	TWK	TAD	TZH	13.88	13.30	30	35
	EHC DGK RW	4000	6150	Y	STD	96	TWK	TAD	TZH	13.42	13.10	30	35
BR1L61	EHC DDC RW	4500	6010	N	STD	96	TRW	TAD	TZA	15.58	14.20	35	35
			6010	Y	STD	96	TRW	TAD	TZA	14.45	15.60	35	35
BR1L61	EHC DDC RW	4500	6400	N	STD	96	TRY	TAD	TZA	15.58	14.20	35	35
					OPT	96	TYF	TAD	TZA	15.58	14.20	35	35
					OPT	96	TYG	TAD	TZA	15.58	14.20	35	35
					OPT	96	TYK	TAD	TZA	15.58	14.20	35	35
BR1L61	EHC DDC RW	4500	6400	Y	STD	96	TRY	TAD	TZA	14.45	15.60	35	35
					OPT	96	TYF	TAD	TZA	14.45	15.60	35	35
					OPT	96	TYG	TAD	TZA	14.45	15.60	35	35
					OPT	96	TYK	TAD	TZA	14.45	15.60	35	35
BR1L61	EHC DGK RW	4500	6010	N	STD	96	TRW	TAD	TZA	14.90	14.30	35	35
			6010	Y	STD	96	TRW	TAD	TZA	13.86	15.70	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TF04 - 401 /

Report Date: 04/08/95
Time: 11:10:43

1996 Chrysler Corporation

TCR23GH6G1EK FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT LBS TEST	GVW	A C	TIRE DESCRIPTION USE	YR	CODE	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
BR1L61	EHC DGK RW	4500	6400	N	STD	96	TRY	TAD	TZA	14.90	14.30	35	35
					OPT	96	TYF	TAD	TZA	14.90	14.30	35	35
					OPT	96	TYG	TAD	TZA	14.90	14.30	35	35
BR1L61	EHC DGK RW	4500	6400	Y	STD	96	TRY	TAD	TZA	13.86	15.70	35	35
					OPT	96	TYF	TAD	TZA	13.86	15.70	35	35
					OPT	96	TYG	TAD	TZA	13.86	15.70	35	35
					OPT	96	TYK	TAD	TZA	13.86	15.70	35	35
BR1L62	EHC DGC RW	4500	6010	N	STD	96	TRW	TAD	TZA	15.58	14.20	35	35
			6400		STD	96	TRY	TAD	TZA	15.58	14.20	35	35
					OPT	96	TYF	TAD	TZA	15.58	14.20	35	35
					OPT	96	TYG	TAD	TZA	15.58	14.20	35	35
					OPT	96	TYK	TAD	TZA	15.58	14.20	35	35
BR1L62	EHC DGC RW	4750	6010	Y	STD	96	TRW	TAD	TZA	15.12	15.70	35	35
			6400		STD	96	TRY	TAD	TZA	15.12	15.70	35	35
					OPT	96	TYF	TAD	TZA	15.12	15.70	35	35
					OPT	96	TYG	TAD	TZA	15.12	15.70	35	35
					OPT	96	TYK	TAD	TZA	15.12	15.70	35	35
BR1L62	EHC DGK RW	4500	6010	N	STD	96	TRW	TAD	TZA	14.90	14.30	35	35
			6400		STD	96	TRY	TAD	TZA	14.90	14.30	35	35
					OPT	96	TYF	TAD	TZA	14.90	14.30	35	35
					OPT	96	TYG	TAD	TZA	14.90	14.30	35	35
					OPT	96	TYK	TAD	TZA	14.90	14.30	35	35
BR1L62	EHC DGK RW	4750	6010	Y	STD	96	TRW	TAD	TZA	14.52	15.80	35	35
			6400		STD	96	TRY	TAD	TZA	14.52	15.80	35	35
					OPT	96	TYF	TAD	TZA	14.52	15.80	35	35
					OPT	96	TYG	TAD	TZA	14.52	15.80	35	35
					OPT	96	TYK	TAD	TZA	14.52	15.80	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TF04 - 402 /

Report Date: 04/06/95
Time: 11:10:43

Chrysler Corporation
FAMILY TIRE DESCRIPTION

TIRE DESCRIPTION YR	COD	TRD	MFG	NAME	SIZE	RPM	CONSTRUCTION COD	TREAD MATERIAL	PLY	SW	SIDEWALL MATERIAL	PLY	OVERLAY MATERIAL	PLY	TREAD DEPTH (IN.) X 1/32
95	TWK	TAD	TZH	XCH4 (A/S)	LT215/75R15-D	752	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		11
96	TRE	TAD	TZA	INVICTA-GL (A/S)	P225/75R15	736	SBR	2-STEEL/2-POLYESTER	4	BSW	Polyester	2	None		10
95	TRF	TAD	TZA	INVICTA-GL (A/S)	P225/75R15	735	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE		10
95	TRW	TAD	TZA	WRANGLER AP (A/S)	P225/75R16	713	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	None		11
95	TRY	TAD	TZA	WRANGLER AP (A/S)	P225/75R16-XL	711	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		11
96	TSC	TAD	TZA	INVICTA-GL (A/S)	P235/75R15-XL	724	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NYLON	1	10
95	TSC	TAD	TZH	XW4 (A/S)	P235/75R15-XL	720	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		10
96	TSD	TAD	TZA	INVICTA-GL (A/S)	P235/75R15-XL	724	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NYLON	1	10
95	TSD	TAD	TZH	XW4 (A/S)	P235/75R15-XL	720	SBR	2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE		10
96	TSF	TAD	TZA	INVICTA-GL (A/S)	P235/75R15-XL	724	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NYLON	1	10
96	TSF	TAD	TZH	XW4 (A/S)	P235/75R15XL	720	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE		10
96	TVG	TAD	TZH	XPS (A/S)	LT215/85R16-E	682	SBR	2-STEEL/2-POLYESTER	4	BSW	Polyester	2	None		15
95	TW9	TAD	TZA	WRANGLER AT (A/S)	LT235/75R15-D	716	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		13
95	TW9	TAD	TZH	XCH4 (A/S)	LT235/75R15-C	720	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE		10
96	TWP	TAD	TZH	LTX (A/S)	LT225/75R16-D	709	SBR	3-STEEL/2-POLYESTER	5	BSW	Polyester	2	None		13
96	TWR	TAD	TZH	XCH4 (A/S)	LT225/75R16-E	710	SBR	3-STEEL/2-POLYESTER	5	BSW	POLYESTER	2	NONE		13
96	TYF	TAD	TZA	WRANGLER AP (A/S)	P245/75R16	687	SBR	2-STEEL/2-POLYESTER	4	BSW	Polyester	2	None		12
96	TYG	TAD	TZA	WRANGLER AP (A/S)	P245/75R16	687	SBR	2-STEEL/2-POLYESTER	4	OWL	POLYESTER	2	NONE		12
96	TYK	TAD	TZA	WRANGLER RT/S (A/S)	LT245/75R16-C	693	SBR	2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	None		14

Report Date: 04/08/95
Time: 11:10:43

1996 MY HORIBA 48 INCH DYNAMOMETER 20F SET UP INFORMATION

CALLOUT	MODEL	ENGINE	TRANS	IWC	40% FILL CERT DAW	TIRE SIZE	CODE	NAME	SET COEFFICIENTS TIRE PRESS	A LBS	B LBS/MPH	C LBS/MPH^2
TF04-4	AB3L13	3.9L	A4	4750	2166	LT215/85R16E	TVG	XPS RIB	45	40.50	-1.0774	0.05424