State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-426
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Chrysler Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: XCRXT0360211 Displacement: 5.2 Liters (318 Cubic Inches)
5.9 Liters (360 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensors (two)
Dual Heated Oxygen Sensors (5.9-Liter AN 4x2 models only)
Three Way Catalytic Converter
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
3751-5750	50,000	0.32	4.4	0.7	12.5
	100,000	0.40	5.5	0.97	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
3751-5750	50,000	0.14	1.8	0.1	3.8
	100,000	0.15	2.1	0.13	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24th day of July 1998.

Raphael Susnaitz

for R. B. Summerfield, Chief
Mobile Source Operations Division

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

E.O. # A-9-426

Manufacturer: Chrysler Corporation Exh Eng Fam: XCRXT0360211 Evap Fam: XCRXE0101G2H
All Eng Codes in Eng Fam: CA X 49S ____ 50S ____ AB965 ____ ORVR: YES ____ NO X
Exh Std: CA Tier-1 X TLEV ____ LEV ____ ULEV ____ SULEV ____; US EPA Tier-1 ____
Veh Class(es): PC ____ LDT1 ____ LDT2 X MDV1 ____ MDV2 ____ MDV3 ____ MDV4 ____ MDV5 ____
Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Fuel Type(s): Dedicated X Flex-Fuel ____ Dual-Fuel ____ Bi-Level ____ Gasoline X Diesel ____
GNG ____ LNG ____ LPG ____ M85 ____ Other (specify) ____
Emis Test Fuel(s): Indo ____ CBG X CNG ____ LPG ____ M85 ____ Other(specify) ____
Diesel: 13 CCR 2282 ____ or 40 CFR 86.113-90 ____ or 40 CFR 86.113-94 ____
Evaporative Emission Test Procedure: California ____ Federal X
Service Accum: Std AMA ____ Mod AMA X Mfr ADP ____ Other (Specify) ____
NMOG Test Procedure: N/A X Std ____ Equiv ____ R/L Test Proce: SHED ____ Pt Source X
Engine Configuration: V-8 Displacement: 5.2/5.9 Liters 318/360 Cubic Inches
Valves per Cylinder: 2 Rated HP: 230/245 @ 4400/4000 RPM
Engine: Front X Mid ____ Rear ____ Drive: FWD ____ RWD X 4WD-FT X 4WD-PT X
Exhaust ECS (eg., EGR, MFI, TC, CAC): # 2HO2S, HO2S(2), TWC, SFI, OBD II / HO2S(2), TWC, SFI, OBD II (use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100 (CA)	AN1L61	A4	4000	S E E	56040095AA 56040095AB 56040101AA 56040101AB	--	52103192AA
	AN1L31 AN1L62		4250				
CA-200 (CA)	AN5L61 AN5L31		4500	A T T A C H M E N T			52103364
#CA-300 (CA)	AN1L61		4250		56040146AA 56040146AB		52103214AA 52103238AB
	AN1L31		4500				
CM-100 (CA)	AN1L61 AN1L62	M5	4000		56040065AA 56040065AB		52103192AA
	AN1L31		4250				
CM-200 (CA)	AN5L61 AN5L31		4500				52103214AA 52103238AB

5.9L RT Only
Date Issued: 05/11/98

Revisions: ____

TH02-SDS/99

Chrysler Corporat
Family Tire Usage

MODEL	ENG	TRANS	A C	GVW	MKT TYPE	LVW ETW	TIRE DESCRIPTION USE	YR	COD	MFG	OPT	COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R	TARGET A	TARGET B	TARGET C	SET A	SET B	SET C	ALVW ETW	COAST DOWN TIME	*DYNO HP	TIRE PRES F	TIRE PRES R
												LOADED VEHICLE WEIGHT				COLD CO ELECTRIC DYNO COEFFICIENTS (LINE 1 IS 20 DEG COEFFS,LINE 2 IS 50 DEG WHEN NEEDED)						ADJUSTED LOADED VEHICLE WGT				
AN1L31	ELF	DDC	RW Y	5320	C	4250	STD	99	TMD	TZA	TAD	15.72	12.8	35	35											
							OPT	99	TME	TZA	TAD	15.72	12.8	35	35											
							OPT	99	TS1	TZA	TAD	14.65	13.2	35	35											
							OPT	99	TXS	TZA	TAD	13.94	12.6	35	35											
AN1L31	ELF	DGW	RW Y	5320	C	4250	STD	99	TMD	TZA	TAD	14.97	13.4	35	35											
							OPT	99	TME	TZA	TAD	14.97	13.4	35	35											
							OPT	99	TS1	TZA	TAD	13.99	13.6	35	35											
							OPT	99	TXS	TZA	TAD	13.34	13.1	35	35											
AN1L31	EML	DGT	RW Y	5510	C	4500	STD	99	TT2	TZA	TAD	13.11	14.3	35	35											
AN1L61	ELF	DDC	RW Y	4890	C	4000	STD	99	TMD	TZA	TAD	15.03	12.7	35	35											
							OPT	99	TME	TZA	TAD	15.03	12.7	35	35											
							OPT	99	TS1	TZA	TAD	14.00	13.1	35	35											
							OPT	99	TXS	TZA	TAD	13.34	12.6	35	35											
AN1L61	ELF	DGW	RW Y	4890	C	4000	STD	99	TMD	TZA	TAD	14.31	13.1	35	35											
							OPT	99	TME	TZA	TAD	14.31	13.1	35	35											
							OPT	99	TS1	TZA	TAD	13.37	13.3	35	35											
							OPT	99	TXS	TZA	TAD	12.77	12.8	35	35											
AN1L61	EML	DGT	RW Y	5080	C	4250	STD	99	TT2	TZA	TAD	12.59	14.4	35	35											
AN1L62	ELF	DDC	RW Y	4960	C	4000	STD	99	TMD	TZA	TAD	15.03	12.7	35	35											
							OPT	99	TME	TZA	TAD	15.03	12.7	35	35											
							OPT	99	TS1	TZA	TAD	14.00	13.1	35	35											
							OPT	99	TXS	TZA	TAD	13.34	12.6	35	35											
AN1L62	ELF	DGW	RW Y	4960	C	4250	STD	99	TMD	TZA	TAD	14.97	13.4	35	35											
							OPT	99	TME	TZA	TAD	14.97	13.4	35	35											
							OPT	99	TS1	TZA	TAD	13.99	13.6	35	35											
							OPT	99	TXS	TZA	TAD	13.34	13.1	35	35											
AN5L31	ELF	DDC	4W Y	5600	C	4500	STD	99	TMD	TZA	TAD	14.23	15.3	35	35											
							OPT	99	TS1	TZA	TAD	13.65	15.0	35	35											
							OPT	99	TS2	TZA	TAD	13.65	15.0	35	35											
							OPT	99	TUT	TZA	TAD	13.46	14.8	35	35											
AN5L31	ELF	DGW	4W Y	5600	C	4500	STD	99	TMD	TZA	TAD	13.62	15.4	35	35											
							OPT	99	TS1	TZA	TAD	13.08	15.1	35	35											
							OPT	99	TS2	TZA	TAD	13.08	15.1	35	35											
							OPT	99	TUT	TZA	TAD	12.91	14.9	35	35											
AN5L61	ELF	DDC	4W Y	5350	C	4500	STD	99	TMD	TZA	TAD	14.23	15.3	35	35											
							OPT	99	TS1	TZA	TAD	13.65	15.0	35	35											
							OPT	99	TS2	TZA	TAD	13.65	15.0	35	35											
							OPT	99	TUT	TZA	TAD	13.46	14.8	35	35											
AN5L61	ELF	DGW	4W Y	5350	C	4500	STD	99	TMD	TZA	TAD	13.62	15.4	35	35											
							OPT	99	TS1	TZA	TAD	13.08	15.1	35	35											
							OPT	99	TS2	TZA	TAD	13.08	15.1	35	35											
							OPT	99	TUT	TZA	TAD	12.91	14.9	35	35											

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TH02 - 400 /

Report Date: 02/17/98
Time: 10:02:33

Chrysler Corporation
FAMILY TIRE DESCRIPTION

TIRE DESCRIPTION YR	COD	MFG	OPT	NAME	SIZE	RPM	CONSTRUCTION COD	TREAD MATERIAL	PLY	SW	SIDEWALL MATERIAL	PLY	OVERLAY MATERIAL	PLY	TREAD DEPTH (IN.) X 1/32
99	THD	TZA	TAD	WRANGLER ST (A/S)	P215/75R15	751	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	11
99	THE	TZA	TAD	WRANGLER ST (A/S)	P215/75R15	751	SBR	2-Steel/2-Polyester	4	OWL	Polyester	2	None	0	11
99	TS1	TZA	TAD	WRANGLER RTS (A/T)	P235/75R15	723	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	None	0	13
99	TS2	TZA	TAD	WRANGLER RT/S (A/T)	P235/75R15-XL	723	SBR	2-Steel/2-Polyester	4	OWL	Polyester	2	None	0	13
99	TT2	TZA	TAD	EAGLE RSA	P255/55R17	748	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	Nylon	1	12
99	TUT	TZA	TAD	WRANGLER RT/S (A/T)	31X10.5R15LT	685	SBR	2-Steel/2-Polyester	4	OWL	Polyester	2	None	0	13
99	TXS	TZA	TAD	EAGLE LS	P255/65R15	751	SBR	2-Steel/2-Polyester	4	BSW	Polyester	2	Nylon	2	11

Report Date: 02/17/98
Time: 10:02:33

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: XCRXT0360211
Evaporative Fam: XCRXE0101G2H

Certificate #:

Model ID	Car Line	California Sales
AN1L31	Dakota Pickup 2WD	YES
AN1L61	Dakota Pickup 2WD	YES
AN1L62	Dakota Pickup 2WD	YES
AN5L31	Dakota Pickup 4WD	YES
AN5L61	Dakota Pickup 4WD	YES

Model Codes

```
AN 1 L  31
|  | |  |
|  | |  --- 1st digit:     2nd digit:
|  | |       3=Club Cab     1=119" or 130.9" wb
|  | |       6=Regular Cab  2=123.9" wb
|  | |
|  | ------ Price Class
|  |
|  -------- Model:
|            1=2 wheel drive
|            5=4 wheel drive
|
----------- Body Code:
             Dakota Pickup
```