File

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-40-49
Relating to Certification of New Motor Vehicles

FERRARI S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Ferrari S.p.A. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: XFEXV03.6ME7 Displacement: 3.6 Liters (219 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection
Dual Heated Oxygen Sensors (two)
Dual Three Way Catalytic Converters

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
50,000	0.14	1.4	0.1	3.7
100,000	0.18	2.0	0.1	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model- Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28th day of April 1999.

R. B. Summerfield, Chief
Mobile Source Operations Division

E.O.# A-40-49

1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1

Manufacturer: FERRARI S.p.A. Exh Eng Fam: XFEXV03.6ME7 Evap Fam: XFEXE0090131

All Engine Codes in Engine Familiy: CA___ 49S___ 50S X AB965___, ORVR: YES___ NO X

Exh Std: CA Tier-1 X TLEV___ LEV___ ULEV___ SULEV___, US EPA Tier-1 X

Veh Class(es): PC X LDT1___ LDT2___ MDV1___ MDV2___ MDV3___ MDV4___ MDV5___

Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated X Flex-Fuel___ Dual-Fuel___ Bi-Fuel___ Gasoline X Diesel___

CNG___ LNG___ LPG___ M85___ Other (specify)___

Exh Emiss Test Fuel(s): Indo X CBG___ CNG___ LPG___ M85___ Other (specify)___

Diesel: 13 CCR 2282___ 40 CFR 86.113-90___ 40 CFR 86.113-94___

Evaporative Emission Test Procedure: California___ Federal X

Service Accum: Std AMA___ Mod AMA___ Mfr ADS___ Other (specify) ADFs

NMOG Test Procedure: N/A X Std___ Equiv___ R/L Test Proc: SHED X Pt Source___

Engine Configuration: V8-90° Displacement: - / 3.6 Liters - / 218.8 Cubic Inches

Valves per Cylinder: 5 Rated HP: 394 @ 8500 RPM

Engine: Front___ Mid X Rear___ Drive: FWD___ RWD X 4WD-FT___ 4WD-PT___

Exhaust ECS (e.g., MFI, EGR, TC, CAC): SFI/2TWC/2H02S(2)

(Use abbreviations per SAE J1930 JUN93)

Engine Code (also list A/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. (M5, A4 etc.)	~~ETW~~ or ~~Test Wt.~~	~~DRA~~ or RLHP	Ignition (ECM/~~PCM~~) Part No.	EGR System Part No.	Catalytic Converter Part No.
3.6/8/6S (50ST)	360 Modena F1	S6/A6	3,625	10.4	178764	N/A	FERRARI CAT-131-R01 (right)
	360 Modena	M6			178768		FERRARI CAT-131-L01 (left)

Date Issued: Revisions:

File

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-40-49
Relating to Certification of New Motor Vehicles

FERRARI S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Ferrari S.p.A. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: XFEXV03.6ME7 Displacement: 3.6 Liters (219 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection
Dual Heated Oxygen Sensors (two)
Dual Three Way Catalytic Converters

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Carbon Monoxide (20°F)
50,000	0.14	1.4	0.1	3.7
100,000	0.18	2.0	0.1	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model- Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28th day of April 1999.

R. B. Summerfield, Chief
Mobile Source Operations Division

E.O.# A-40-49

1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 1
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: FERRARI S.p.A. Exh Eng Fam: XFEXV03.6ME7 Evap Fam: XFEXE0090131

All Engine Codes in Engine Family: CA___ 49S___ 50S X 48965___, ORVR: YES___ NO X

Exh Std: CA Tier-1 X TLEV___ LEV___ ULEV___ SULEV___, US EPA Tier-1 X

Veh Class(es): PC X LDT1___ LDT2___ MDV1___ MDV2___ MDV3___ MDV4___ MDV5___

Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated X Flex-Fuel___ Dual-Fuel___ Bi-Fuel___ Gasoline X Diesel___

CNG___ LNG___ LPG___ M85___ Other (specify)___

Exh Emiss Test Fuel(s): Indo X CBG___ CNG___ LPG___ M85___ Other (specify)___

Diesel: 13 CCR 2282___ 40 CFR 86.113-90___ 40 CFR 86.113-94___

Evaporative Emission Test Procedure: California___ Federal X

Service Accum: Std AMA___ Mod AMA___ Mfr ADF___ Other (specify) ADFs

NMOG Test Procedure: N/A X Std___ Equiv___ R/L Test Proc: SHED X Pt Source___

Engine Configuration: V8-90° Displacement: - / 3.6 Liters - / 218.8 Cubic Inches

Valves per Cylinder: 5 Rated HP: 394 @ 8500 RPM

Engine: Front___ Mid X Rear___ Drive: FWD___ RWD X 4WD-PT___ 4WD-FT___

Exhaust ECS (e.g., MFI, EGR, TC, CAC): SFI/2TWC/2HO2S(2)

(use abbreviations per SAE J1930 JUN93)

Engine Code (also list A/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. (M5, A4 etc.)	ECM or ~~Test Wt.~~	~~DRA~~ or RLHP	Ignition (ECM/~~PCM~~) Part No.	EGR System Part No.	Catalytic Converter Part No.
3.6/8/6S (50ST)	360 Modena F1	S6/A6	3,625	10.4	178784	N/A	FERRARI CAT-131-R01 (right)
	360 Modena	M6			178768		FERRARI CAT-131-L01 (left)

Date Issued: Revisions:

E.O.# A-40-49

1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1

Manufacturer: FERRARI S.p.A. Exh Eng Fam: XFEXV03.6ME7 Evap Fam: XFEXE0090131
All Engine Codes in Engine Family: CA___ 49S___ 50S X A8965___, ORVR: YES___ NO X
Exh Std: CA Tier-1 X TLEV___ LEV___ ULEV___ SULEV___, US EPA Tier-1 X
Veh Class(es): PC X LDT1___ LDT2___ MDV1___ MDV2___ MDV3___ MDV4___ MDV5___
Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Fuel Type(s): Dedicated X Flex-Fuel___ Dual-Fuel___ Bi-Fuel___ Gasoline X Diesel___
CNG___ LNG___ LPG___ M85___ Other (specify)___
Exh Emiss Test Fuel(s): Indo X CBG___ CNG___ LPG___ M85___ Other (specify)___
Diesel: 13 CCR 2282___ 40 CFR 86.113-90___ 40 CFR 86.113-94___
Evaporative Emission Test Procedure: California___ Federal X
Service Accum: Std AMA___ Mod AMA___ Mfr ADF___ Other (specify) ADFs
NMOG Test Procedure: N/A X Std___ Equiv___ R/L Test Proc: SHED X Pt Source___
Engine Configuration: V8-90° Displacement: - / 3.6 Liters - / 218.8 Cubic Inches
Valves per Cylinder: 5 Rated HP: 394 @ 8500 RPM
Engine: Front___ Mid X Rear___ Drive: FWD___ RWD X 4WD-PT___ 4WD-FT___
Exhaust ECS (e.g., MFI, EGR, TC, CAC): SFI/2TWC/2HO2S(2)
(use abbreviations per SAE J1930 JUN93)

Engine Code (also list A/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. (M5, A4 etc.)	~~Test Wt.~~ EIW or	~~DRA~~ or RLHP	Ignition (ECM/~~PCM~~) Part No.	EGR System Part No.	Catalytic Converter Part No.
3.6/8/6S (50ST)	360 Modena F1	S6/A6	3,625	10.4	178764	N/A	FERRARI CAT-131-R01 (right) FERRARI CAT-131-L01 (left)
	360 Modena	M6			178768		

Date Issued: Revisions: