

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-24-35  
Relating to Certification of New Motor Vehicles

AUTOMOBILES PEUGEOT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Automobiles Peugeot exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
JPE2.1V5FAD5	2.1 (131)	Three-Way Catalyst Heated Oxygen sensor (Turbocharger) (Intercooler) (Electronic Port Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.23	2.7	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28<sup>th</sup> day of August, 1987.

  
K. D. Drachand, Chief  
Mobile Source Division

## 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Automobiles PEUGEOT Engine Family JPE2.1V5FAD5  
 Evaporative Family 2.2A Engine Type L4  
 Liters (CID) 2.1 (131)

## ABBREVIATIONS

Ignition System

A-Centrifugal Advance  
 CU-Electronic Control Unit  
 I-Electronic Ignition  
 SAC-Electronic Spark Advance  
 Control  
 A-Vacuum Advance  
 R-Vacuum Retard

Fuel System

FI, CL, DID, DIP, EFI, MFI  
 W-nVenturi Carburetor

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 DBC-Dual Bed Catalyst  
 EGR-Exhaust Gas Recirculation  
 EIC-Electronic Injection Control  
 EM-Engine Modification  
 OC-Oxidation Catalyst  
 OS-Oxygen Sensor  
 HOS-Heated Oxygen Sensor  
 SPL-Smoke Puff Limiter or  
 Throttle Delay  
 TOC-Trap Oxidizer, Continual  
 TOP-Trap Oxidizer, Periodical  
 TWC-Three-Way Catalyst  
 WUOC-Warm-Up Oxidation Catalyst  
 WUTWC-Warm-Up Three-Way Catalyt

Special Features

CCV-Combustion  
 Chamber Valve  
 CFI-Central Fuel  
 Injection or  
 Throttle Body  
 Injection  
 DID-Diesel  
 Injection-  
 Direct  
 DIP-Diesel  
 Injection-  
 Prechamber  
 EFI-Electronic  
 Fuel  
 Injection  
 IC-Intercooler  
 or Aftercooler  
 MFI-Mechanical  
 Fuel  
 Injection  
 OBD-On-Board  
 Diagnostics  
 TC-Turbocharger

VEHICLE MODELS:

505 Sedan  
 505 Station Wagon

Engine: Front X Mid. \_\_\_\_\_ Rear \_\_\_\_\_  
 Drive: FWD \_\_\_\_\_ RWD X 4WD Full Time \_\_\_\_\_ 4WD Part Time \_\_\_\_\_

4/4

E.O. # A-24-35

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page \_\_\_\_\_

Passenger Cars  Light-Duty Trucks \_\_\_\_\_ Medium-Duty Vehicles \_\_\_\_\_ Gas  Diesel \_\_\_\_\_

Manufacturer Automobiles PEUGEOT Engine Family JPE2.1V5FAD5

Displacement (CID) 2.1 (131) Eng. Type L4

Emission Control Sys. (Special Features) TWC HOS(EPFI)(IC)(IC)

Engine Code	Vehicle Models (If Coded see attachment)  (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System (ECU)  Part No.	EGR Valve  Part No.	Catalyst  Part No.
2.1M5	SEDAN - 10.5	M5	3375 3500	BOSCH 0227 400 128	BOSCH 0280 000 343	NA	SEDAN 91 536 330 80
2.1A4	SEDAN - 10.5	A4	3375 3500				STATION WAGON 91 536 329 80
2.1ACA4	STATION WAGON 12.3	A4	3625 3750				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue \_\_\_\_\_

Revisions: \_\_\_\_\_